

<sup>24/7</sup>  
Backup Standard Backup Manager (B247LITE) v9

User Guide for Windows

# Copyright Notice

© 2023 Backup247 Pty Ltd. All rights reserved.

The use and copying of this product is subject to a license agreement. Any other use is prohibited. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form by any means without prior written consent of Backup247 Pty Limited. Information in this manual is subject to change without notice and does not represent a commitment on the part of the vendor. Backup247 Pty Limited does not warrant that this document is error free. If you find any errors in this document, please report to Backup247 Pty Limited in writing.

## Trademarks

Backup247, Backup247 Cloud Backup Suite (B247CBS), Backup247 Advanced Backup Suite (B247PRO), Backup247 Offsite Backup Server, Backup247 Standard Backup Suite (B247LITE), Backup247 Replication Server, Backup247 BackupBox Firmware, Backup247 Universal Backup System and Backup247 NAS Client Utility, Backup247 Mobile are trademarks of Backup247 Pty Limited.

Amazon S3 is a registered trademark of Amazon Web Services, Inc., or its affiliates.

Apple and Mac OS X, macOS, and iOS are registered trademarks of Apple Computer, Inc.

Dropbox is a registered trademark of Dropbox Inc.

Google Cloud Storage, Google Drive, Google Authenticator, and Android are registered trademarks of Google Inc.

Backblaze B2 Cloud Storage is a registered trademark of Backblaze Inc.

MariaDB is a registered trademark of MariaDB Corporation AB.

Lotus, Domino, and Notes are registered trademark of IBM Corporation.

Microsoft Windows, Microsoft Exchange Server, Microsoft SQL Server, Microsoft Hyper-V, Microsoft Azure, OneDrive, OneDrive for Business, Microsoft Authenticator, and Microsoft Office 365 are registered trademarks of Microsoft Corporation.

Oracle, Oracle Database, Java and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

OpenJDK is a registered trademark of Oracle America, Inc.

Rackspace and OpenStack are registered trademarks of Rackspace US, Inc.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo and JBoss are registered trademarks of Red Hat, Inc. [www.redhat.com](http://www.redhat.com) in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the U.S. and other countries.

Ubuntu is a registered trademark of Canonical Ltd.

Debian is a registered trademark of Software in the Public Interest, Inc.

Rocky is a registered trademark of Rocky Brands.

ShadowProtect is a registered trademark of StorageCraft Technology Corporation.

VMware ESXi, vCenter, and vSAN are registered trademarks of VMware, Inc.


All other product names are registered trademarks of their respective owners.

## Disclaimer

Backup247 Pty Limited will not have or accept any liability, obligation, or responsibility whatsoever for any loss, destruction or damage (including without limitation consequential loss, destruction or damage) however arising from or in respect of any use or misuse of reliance on this document. By reading and following the instructions in this document, you agree to accept unconditionally the terms of this Disclaimer and as they may be revised and/or amended from time to time by Backup247 Pty Limited without prior notice to you.

Revision History

Date	Descriptions	Version
25 January 2022	▪ Ch. 4 – added Migrate Data	9.1.0.0



# Table of Contents

<b>1</b>	<b>Overview.....</b>	<b>4</b>
1.1	What is this software?.....	4
1.2	System Architecture.....	4
1.3	Why should I use Backup247 Standard Backup Suite (B247LITE) (Agent-based) Solution to back up my cloud data? .....	5
1.4	About This Document .....	9
<b>2</b>	<b>Preparing for Backup and Restore.....</b>	<b>10</b>
2.1	Hardware Requirement.....	10
2.2	Software Requirement .....	10
2.3	Antivirus Exclusion Requirement.....	10
2.4	Upgrade VMware Tools Requirement .....	10
2.5	Internet / Network Connection.....	10
2.6	Backup247 Standard Backup Suite (B247LITE) Installation.....	11
2.7	Valid Backup247 Standard Backup Suite (B247LITE) User Account.....	11
2.8	Backup247 License Requirements.....	11
2.9	Add-on Module Requirements .....	11
2.10	Backup Quota Requirement.....	11
2.11	Cloud Sources .....	12
2.12	Login Credentials to Cloud Storage .....	12
2.13	Network Bandwidth .....	12
2.14	Best Practices and Recommendations.....	12
2.15	Limitations .....	14
<b>3</b>	<b>Creating a Cloud File Backup Set.....</b>	<b>17</b>
<b>4</b>	<b>Running Backup Job.....</b>	<b>33</b>
	View Report .....	37
<b>5</b>	<b>Restoring a Cloud File Backup Set .....</b>	<b>40</b>
<b>6</b>	<b>Contact Backup247.....</b>	<b>48</b>
6.1	Technical Assistance .....	48
6.2	Documentation.....	48
	<b>Appendix.....</b>	<b>49</b>
	Appendix A Example Scenarios for Restore Filter using Backup247 Standard Backup Suite (B247LITE) .....	49

# 1 Overview

## 1.1 What is this software?


Backup247 brings you specialized client backup software, namely Backup247 Standard Backup Suite (B247LITE), that allows you to back up your data stored on the cloud storage to either the B247CBS backup server, another cloud or predefined storage, and local destination. This provides set of tools that include backup and recovery of individual files with versioning and Retention Policy to protect your data on cloud storages.

## 1.2 System Architecture

For agent-based backup and restore, the Backup247 Standard Backup Suite (B247LITE) initiates connection to the cloud storage (backup source) through the internet via the deployed backup agent on the customer's site.


Below is the system architecture diagram illustrating the major elements involved in the backup and restore process using the Backup247 Standard Backup Suite (B247LITE) Run on Client (Agent-based) backup configuration.





### 1.3 Why should I use Backup247 Standard Backup Suite (B247LITE) (Agent-based) Solution to back up my cloud data?

We are committed to bringing you a comprehensive Run on Client (Agent-based) cloud backup and recovery solution with Backup247 Standard Backup Suite (B247LITE). Below are some key areas that we can help to make your backup experience a better one.



## User-defined Backup Destination

Backup users have more options in assigning a backup destination (i.e., B247CBS, Cloud or Predefined destinations, and standard and local destination).

## Performance

Agent-based backup is performed on a physical machine or computer with resources that is dedicated for backup and restore operations. Once the backup client is deployed on the machine, the user have more control on the hardware which affects the overall backup and restore performance.

## Easy to Use

Agent-based backup solution has a traditional backup approach that is well understood by most administrators and end users who would only need minimal effort and time to understand the backup and/or restore operations.

## Task-centered User Interface

Agent-based backup solution make it a good option for users to have more control on the individual backup/restore and resources management.

## System Logs Availability

System logs for Data Integrity Check and space freeing up results is accessible for the end users and can be reviewed anytime. Unlike with the agentless backup where system logs will only be available upon request from the backup service provider.

## Reminder Feature

With the agent-based backup, a reminder feature is provided which will display a backup confirmation dialog box that will prompt user to run a backup job during machine log off, restart or shut down when enabled.

## More Restore Locations

Agent-based backup offers you three (3) restore locations such as the local machine, original location (or the cloud storage where you backed up them), and alternate location (which is through the same cloud storage but on a different folder).

## Restore Filter

Agent-based backup has a restore filter feature which allows users to easily search directories, files, and/or folders to restore.

## High Level of Security

We understand that the data on your cloud storage may contain sensitive information that requires to be protected, that is why we ensure that your backup data will be encrypted with the highest level of security measure.
















- **Un-hackable Encryption Key** – to provide the best protection to your backup data, the encryption feature which will default encrypt the backup data locally with an AES 256-bit randomized encryption key.
- **Encryption Key Recovery** – a last resort for you to recover your encryption key in case you have lost it. Your backup service provider can make it mandatory for you to upload the encryption key to the centralized management console, the encryption key will be uploaded in hashed format and will only be used when you request for a recovery.



## Cloud Destinations Backup

By default, the B247CBS is set as the storage destination in creating a cloud file backup set. However, you may add another storage destination(s) as provided by your backup service provider. Below is a list of supported cloud destinations:

Below is a list of supported cloud destinations.

	<b>Aliyun</b>		<b>Microsoft Azure</b>
	<b>CTYun</b>		<b>Microsoft OneDrive</b>
	<b>Amazon S3</b>		<b>Microsoft OneDrive for Business</b>
	<b>AWS S3 Compatible Cloud Storage</b>		<b>Rackspace</b>
	<b>Backblaze</b>		<b>OpenStack</b>
	<b>Google Cloud Storage</b>		<b>Dropbox</b>
	<b>Google Drive</b>		<b>FTP</b>
			<b>SFTP</b>

**NOTE**

For more details, please contact our Technical Support Team.

### Run on Client

A Run on Client Cloud File Backup Set provides you with an agent-based backup solution. Manual, scheduled, or continuous backup job is performed on the client computer. A backup agent needs to be installed on the client machine in order to back up your data on cloud storage(s).

### Differences between a Run on Client and Run on Server Backup Set

The following table summarizes the differences in backup options available between a Run on Client and Run on Server cloud file backup set, and the tool to use (client agent or web console) when performing a backup and restore:

Features/Functions	Run on Client Cloud File Backup Set	Run on Server Cloud File Backup Set
General Settings	✓	✓
Backup Source	✓	✓
Backup Schedule	✓	✓
Continuous Backup	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE) for Windows only	✓
Destination	B247CBS, Predefined Destinations, Standard and Local	B247CBS or Predefined Destinations only
Multiple Destinations	✓	✗
Deduplication	Backup247 Advanced Client (B247PRO)	Backup247 Advanced Client (B247PRO)
Retention Policy	✓	Backup247 Advanced Client (B247PRO)
Command Line Tool	Backup247 Advanced Client (B247PRO)	✗
Reminder	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE) for Windows only	✗
Restore Filter	✓	✗
Bandwidth Control	✓	Backup247 Advanced Client (B247PRO)
IP Allowed for Restore	✓	✗
System Logs of Data Integrity Check and Space Freeing Up	✓	✗
Others	✓	✓
<b>To Run a Backup</b>	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE)	B247CBS User Web Console only
<b>To Run a Restore</b>	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE) / Backup247OBR	B247CBS User Web Console only

Aside from the backup options, the table below shows other operations that can be performed using client agent and web console:

Features/Functions	Run on Client Cloud File Backup Set	Run on Server Cloud File Backup Set
Data Integrity Check	✓	✓
Space Freeing Up	✓	✗

Delete Backup Data	✓	✓
Decrypt Backup Data	✓	✗

## 1.4 About This Document

### *What is the purpose of this document?*

This document aims at providing all necessary information for you to get started with setting up your system for Run on Client Cloud File backup and restore, followed by step-by-step instructions on a creating a backup set, running a backup and restoring backup data using the Backup247 Standard Backup Suite (B247LITE) client.

The document can be divided into three (3) main parts.

### **Part 1: Preparing for Cloud File Backup & Restore**

#### **Requirements**

Requirements on hardware & software installation

#### **Best Practices and Recommendations**

Items recommended to pay attention to before performing backup and restore

### **Part 2: Performing a Cloud File Backup**

#### **Logging in to Backup247 Standard Backup Suite (Lite) client**

Log in to Backup247 Standard Backup Suite (B247LITE)

#### **Creating a Backup Set**

Create a backup set using Backup247 Standard Backup Suite (B247LITE)

#### **Running a Backup Set**

Run a backup set using Backup247 Standard Backup Suite (B247LITE)

### **Part 3: Restoring a Cloud File Backup**

#### **Restoring a Backup Set using Backup247 Standard Backup Suite (Lite) client**

Restore a backup set using Backup247 Standard Backup Suite (B247LITE)

### *What should I expect from this document?*

After reading through this documentation, you can expect to have sufficient knowledge to set up your system to backup data on Cloud storage using the client agent, as well as to carry out an end-to-end backup and restore process.

### *Who should read this document?*

This documentation is intended for backup administrators and IT professionals who are responsible for the Cloud File backup and restore.

## 2 Preparing for Backup and Restore

### 2.1 Hardware Requirement

To achieve the optimal performance when running Backup247 Standard Backup Suite (B247LITE) on your machine, refer to the following article for the list of hardware requirements.

[FAQ: Backup247 Hardware Requirement List \(HRL\) for version 9.1 or above](#)

### 2.2 Software Requirement

Refer to the following article for the list of compatible operating systems and application version.

[FAQ: Backup247 Software Compatibility List \(SCL\) for version 9.1 or above](#)

### 2.3 Antivirus Exclusion Requirement


To optimize performance of Backup247 Standard Backup Suite (B247LITE) on Windows, and to avoid conflict with your antivirus software, refer to the following KB article for the list of processes and directory paths that should be added to all antivirus software white-list / exclusion list.

[FAQ: Suggestion on antivirus exclusions to improve performance of Backup247 software on Windows](#)

### 2.4 Upgrade VMware Tools Requirement

To avoid an unexpected java crash, if the Windows machine is a guest VM hosted on a VMware Host, it is highly recommended that the VMware tools version installed on the guest VM is 10.3.5 or higher.

Below is the warning message that will be displayed if the version of the VMware Tools is lower than 10.3.5.



### 2.5 Internet / Network Connection

To allow access to the cloud storage, a stable internet connection must be available on the computer where the Backup247 Standard Backup Suite (B247LITE) is installed. If large amounts of data are backed up from a cloud storage account, then a fast internet connection is required.

### 2.6 Backup247 Standard Backup Suite (B247LITE) Installation

Make sure that Backup247 Standard Backup Suite (B247LITE) is installed on a computer with Internet access for connection to the cloud storage.

## 2.7 Valid Backup247 Standard Backup Suite (B247LITE) User Account

A valid Backup247 Standard Backup Suite (B247LITE) user account is required before you can log in to the Backup247 Standard Backup Suite (B247LITE) client.

## 2.8 Backup247 License Requirements

The Cloud File Backup module is included in the basic Backup247 Standard Backup Suite (B247LITE) license. There is no limit on the number of Cloud File backup sets in an Backup247 Standard Backup Suite (B247LITE) user account.

For more details, please contact your backup service provider.


## 2.9 Add-on Module Requirements

- **In-File Delta**

The In-File Delta add-on module must be added on the Backup247 Standard Backup Suite (B247LITE) user account if you would like to use this feature. This only applies to backup sets created using Backup247 Standard Backup Suite (B247LITE) v8 or before.

**NOTE**

This add-on module must be enabled on the Backup247 Standard Backup Suite (B247LITE) user account. Please contact your backup service provider for details.




## 2.10 Backup Quota Requirement

Make sure that your Backup247 Standard Backup Suite (B247LITE) user account has sufficient quota assigned to accommodate the storage for the cloud file backup set(s) and Retention Policy.

## 2.11 Cloud Sources

The Backup247 Standard Backup Suite (B247LITE) Run on Client (Agent-based) Backup Solution supports the following cloud sources to back up as provided by your backup service provider:



## 2.12 Login Credentials to Cloud Storage

To allow access to the cloud storage (backup source) in performing a backup, make sure to have the correct login credentials to the cloud storage service.

## 2.13 Network Bandwidth

10 Mbps or above connection speed.

## 2.14 Best Practices and Recommendations

The following are some best practices and recommendations we strongly recommend you follow before you start any Cloud File backup and restore:

- **Backup Destination**

To provide maximum data protection and flexible restore options for agent-based backup, it is recommended to configure:

- At least one offsite or cloud destination
- At least one local destination for fast recovery

- **Temporary Directory Folder Location**

Temporary directory folder is used by the Backup247 Standard Backup Suite (B247LITE) for storing backup set index files and any incremental or differential backup files generated during a backup job. To ensure optimal backup/restoration performance, it is recommended that the temporary directory folder is set to a local drive.

- **Performance Recommendations**

Schedule backup jobs when system activity is low to achieve the best possible performance.

- **Bucket Management for Enterprise Cloud Storage Providers**

If you have chosen to back up files from an enterprise cloud storage (e.g., Amazon S3, Wasabi, Microsoft Azure, Google Cloud Storage, etc.), you will have to select a bucket name during the creation of cloud file backup set. Each bucket has a single compartment, and an access key is associated with a single bucket. Therefore, each backup set can back up one bucket.

For account with multiple buckets, the backup should be organized into one bucket per backup set. For best practice, make sure to assign one bucket name per backup set so you can ensure that you are selecting the correct file(s) to back up.

- **Test Restore Operations**

Perform test restores periodically to ensure your backup is set up and backed up properly. Performing recovery test can also help identify potential issues or gaps in your recovery plan. It is important that you do not try to make the test easier, as the objective of a successful test is not to demonstrate that everything is flawless, but to discover faults in your recovery plan. There might be flaws identified in the plan throughout the test and it is important to identify those flaws

- **Periodic Backup Schedule**

The periodic backup schedule should be reviewed regularly to ensure that the interval is sufficient to handle the data volume on the machine. Over time, data usage pattern may change on a Cloud storage account, i.e., the number of new files created, the number of files which are updated/deleted, and new users may be added etc.


Consider the following key points to efficiently handle backup sets with periodic backup schedule.

- Hardware – to achieve optimal performance, compatible hardware requirements is a must. Ensure you have the backup machine's appropriate hardware specifications to accommodate frequency of backups,
  - so that the data is always backed up within the periodic backup interval
  - so that the backup frequency does not affect the performance of the production server
- Retention Policy - also make sure to consider the Retention Policy settings and Retention Area storage management which can grow because of the changes in the backup data for each backup job.

## 2.15 Limitations

For backup source selection:

1. It is currently not possible to select the entire contents of the Cloud drive. Existing top level folders and/or files must be selected individually. If you need to back up the contents of the entire Cloud drive, then all top level folders and/or files must be selected.






- If there are any top level folders and/or files added to the Cloud drive after the backup set is created, they will not be added in the backup source automatically. The backup set will have to be manually updated to include the new top level folders and/or files before they can be backed up.

**Example:**

If the “Latest version” and “New updates” folders were created after the creation of the backup set, and the contents of these folders must be backed up, then you must manually select these folders to be included in the backup.



- If there are any top level folders and/or files which have been deleted from the Cloud drive since the last backup job, they will not be removed from the backup source automatically. The backup set will have to be manually updated to unselect the deleted top level folders and/or files. Otherwise, the backup job will be completed with warnings.

**Example:**

The following files were backed up but subsequently deleted from the top level backup source of the Cloud drive: **was\_admin.png**, **vm\_workstation\_01.png**, **vSAN-hosts.png**. The next backup job will encounter the following warnings until these deleted files are unselected from the backup source.

The deleted files are highlighted in red on the backup source to indicate that they no longer exist on the Cloud storage account.

**Cloud File Backup Set**

- General
- Source
- Backup Schedule
- Destination
- Reminder
- Others

### Backup Source

Folders	Name	Size	Date modified
Google Drive	Backup		
	Test Files		
	Work Files		
	vSAN-hosts.png		
	vm_workstation_01.png		
	was_admin.png		

Show files      Items per page: 50      Page: 1 / 1

Delete this backup set
Save   Cancel   Help

## Backup log

```
[2021/05/04 18:33:08] [warn] [1620120741994] Backup source
"vSAN-hosts.png" does not exist !

[2021/05/04 18:33:08] [cbs] [1620120741994] warn,"Backup source
\"vSAN-hosts.png\" does not exist !",0,0,0,,,

[2021/05/04 18:33:09] [warn] [1620120741994] Backup source
"vm_workstation_01.png" does not exist !


[2021/05/04 18:33:09] [cbs] [1620120741994] warn,"Backup source
\"vm_workstation_01.png\" does not exist !",0,0,0,,,

[2021/05/04 18:33:09] [warn] [1620120741994] Backup source
"was_admin.png" does not exist !


[2021/05/04 18:33:09] [cbs] [1620120741994] warn,"Backup source
\"was_admin.png\" does not exist !",0,0,0,,,
```

### 3 Creating a Cloud File Backup Set

1. Log in to the Backup247 Standard Backup Suite (B247LITE) application user interface.  
For instructions on how to do this, please refer to Chapter 8 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.
2. In the Backup247 Standard Backup Suite (B247LITE) main interface, click **Backup Sets**.



3. Create a Cloud File backup set by clicking the “+” icon next to **Add new backup set**.



4. Enter a **Name** for your backup set and select **Cloud File Backup** as the **Backup set type**.

Create Backup Set

Name  
Client Run Cloud File Backup

Backup set type

- File Backup
- File Backup
- Cloud File Backup
- IBM Lotus Notes Backup
- MS Windows System Backup
- Office 365 Backup

Next Cancel Help

5. Select the **Cloud type** of the cloud storage that contains the data that you want to back up.

Create Backup Set

Name  
Client Run Cloud File Backup

Backup set type  
Cloud File Backup

Cloud type

- Google Drive
- Backblaze
- Google Cloud Storage
- Google Drive
- Microsoft Azure
- OneDrive
- OneDrive for Business
- Rackspace
- OpenStack

Next Cancel Help

- Depending on the cloud type you have selected, you will be prompted to enter the cloud service login details. Click **Test** to get redirected to the login page of the cloud service provider on your default browser, then enter the login details there.

## Create Backup Set

Name


Backup set type

Cloud type


### NOTE

The authentication request will be opened in a new tab or window. Ensure that the pop-up window is not blocked, and pop-up blocker is disabled in your browser.

- Click **Allow** to permit Backup247 Standard Backup Suite (B247LITE) to access the cloud storage.



8. Copy and paste the code generated by the cloud service provider to Backup247 Standard Backup Suite (B247LITE) where you will be prompted to enter, then click **OK** to confirm.



## Create Backup Set

Name

Backup set type

In the browser, log in (if necessary), and click the "Allow" button to authorize this app. You will then be presented with an authorization code. Please copy the authorization code and paste it here to continue.



9. Click **Next** to proceed.

Create Backup Set

Name  
Client Run Cloud File Backup

Backup set type  
Cloud File Backup

Cloud type  
Google Drive

✓ Test completed successfully

Next Cancel Help

10. In the **Backup Source** window, select the files and/or folders that you would like to back up.

Backup Source

Folders

- Google Drive
  - Backup
  - Hodix
  - Latest version
  - New updates
  - Test Files
  - Work Files

Show files


Previous Next Cancel Help

**NOTE**


There are limitations in selecting files and/or folders in the backup source menu. For further details, please refer to Ch. 2.15 Limitations.



11. Enable the **Show files** checkbox at the bottom left corner if you would like to display individual file(s) for backup. Click **Next** to proceed when you are done with the selection.



12. In the **Schedule** menu, configure a backup schedule for backup job to run automatically at your specified time interval. If enabled, click **Add new schedule** to add a new schedule, then click **Next** to proceed.



## Schedule

Run scheduled backup for this backup set

On

Existing schedules

Add new schedule

13. Configure the backup schedule settings on this page, then click **OK** when you are done with the settings.

### New Backup Schedule

Name

Type  
 ▾

Start backup  
at  ▾  ▾ :  ▾

Stop  
 ▾

Run Retention Policy after backup

In the New Backup Schedule window, configure the following backup schedule settings.

- **Name** – the name of the backup schedule.
- **Type** – the type of the backup schedule. There are four (4) different types of backup schedule: Daily, Weekly, Monthly and Custom.
- **Daily** – the time of the day or interval in minutes/hours when the backup job will run.

The screenshot shows the 'New Backup Schedule' window with the following settings: Name: Daily-1; Type: Daily; Start backup: at 15:00; Stop: until full backup completed; Run Retention Policy after backup: checked.

- **Weekly** – the day of the week and the time of the day or interval in minutes/hours when the backup job will run.

The screenshot shows the 'New Backup Schedule' window with the following settings: Name: Weekly-1; Type: Weekly; Backup on these days of the week: Sun, Mon, Tue, Wed, Thu, Fri, Sat (Sat is checked); Start backup: at 23:00; Stop: until full backup completed; Run Retention Policy after backup: checked.

- **Monthly** – the day of the month and the time of the day when the backup job will run.

The screenshot shows the 'New Backup Schedule' window with the following settings: Name: Monthly-1; Type: Monthly; Backup on the following day every month: Day Last; Start backup at: 23:00 on the selected days; Stop: until full backup completed; Run Retention Policy after backup: checked.

- **Custom** – a specific date and the time when the backup job will run.

**New Backup Schedule**

Name

Type

Backup on the following day once

Start backup at  
 :

Stop

Run Retention Policy after backup

- **Start backup** – the start time of the backup job.
  - **at** – this option will start a backup job at a specific time.
  - **every** – this option will start a backup job in intervals of minutes or hours.

Start backup

Stop

Run Retention Policy after backup

Start backup

Stop

Run Retention Policy after backup

Here is an example of backup set that has a periodic and normal backup schedule.

**New Backup Schedule**

Name

Type

Backup on these days of the week  
 Sun  Mon  Tue  Wed  Thu  Fri  Sat

Start backup

Stop

Run Retention Policy after backup

**Figure 1.1**

**New Backup Schedule**

Name

Type

Backup on these days of the week  
 Sun  Mon  Tue  Wed  Thu  Fri  Sat

Start backup  
  :

Stop

Run Retention Policy after backup

**Figure 1.2**

**Figure 1.1** – Periodic schedule every 4 hours Monday - Friday during business hours

**Figure 1.2** – Normal schedule runs at 21:00 or 9:00 PM on Saturday & Sunday during weekend non-business hours

- **Stop** – the stop time of the backup job. This only applies to schedules with start backup “at” and is not supported for periodic backup schedule (start backup “every”)
  - **until full backup completed** – this option will stop a backup job once it is complete. This is the configured stop time of the backup job by default.
  - **after (defined no. of hrs.)** – this option will stop a backup job after a certain number of hours regardless of whether the backup job has completed or not. This can range from 1 to 24 hrs.

The number of hours must be enough to complete a backup of all files in the backup set. For small files in a backup, if the number of hours is not enough to back up all files, then the outstanding files will be backed up in the next backup job. However, if the backup set contains large files, this may result in partially backed up files.

For example, if a backup has 100GB file size which will take approximately 15 hours to complete on your environment, but you set the “stop” after 10 hours, the file will be partially backed up and cannot be restored. The next backup will upload the files from scratch again.

The partially backed up data will have to be removed by running the Data Integrity Check.

As a general rule, it is recommended to review this setting regularly as the data size on the backup machine may grow over time.

- **Run Retention Policy after backup** – if enabled, the Backup247 Standard Backup Suite (B247LITE) will run a Retention Policy job to remove files from the backup destination(s) which have exceeded the Retention Policy after performing a backup job.

Click the **OK** button to save the configured backup schedule settings.

Multiple backup schedules can be created, as an example; the four types of backup schedules may look like the following.

Schedule

Run scheduled backup for this backup set

On


Existing schedules

- Daily-1**  
Daily (Everyday at 15:00)
- Weekly-1**  
Weekly - Saturday (Every week at 23:00)
- Monthly-1**  
Monthly - The Last Day (Every month at 23:00)
- Custom-1**  
Custom (07/30/2020 at 23:59)


Add

Click the **Next** to proceed.

14. In the **Destination** menu, select a backup destination where the backup data will be stored. Click the “+” icon next to **Add new storage destination / destination pool**.



15. Select the Destination storage.



You can choose a storage combination of the Local / Mapped Drive / Network Drive / Removable Drive, Cloud storage or FTP. Click **OK** to proceed when you are done with the settings.

- If you have chosen the Local / Mapped Drive / Network Drive / Removable Drive option, click **Change** to browse to a directory path where backup data will be stored. Check “This share requires access credential” if credentials are needed to access the directory path. Click **Test** to validate the path. A **Test completed successfully** message will be indicated when the validation is done.

The screenshot shows a dialog box titled "New Storage Destination / Destination Pool". It contains the following fields and controls:

- Name:** A text input field containing "Local-1".
- Destination storage:** A dropdown menu with "Local / Mapped Drive / Network Drive / Removable Drive" selected.
- Path (Input local / network address or click [Change]):** An empty text input field next to a "Change" button.
- Credentials:** A checkbox labeled "This share requires access credentials" which is currently unchecked.
- Test:** A button to validate the path.
- Footer:** A blue bar with "OK", "Cancel", and "Help" buttons. Below this bar, "Previous", "Next", "Cancel", and "Help" buttons are visible in a darker bar.

- If you have chosen the cloud storage, click **Test** to log in to the corresponding cloud storage service.

The screenshot shows a dialog box titled "New Storage Destination / Destination Pool". It contains the following fields and controls:

- Name:** A text input field containing "GoogleDrive-1".
- Destination storage:** A dropdown menu with "Google Drive" selected.
- Test:** A button to log in to the cloud storage service.
- Footer:** A blue bar with "OK", "Cancel", and "Help" buttons. Below this bar, "Previous", "Next", "Cancel", and "Help" buttons are visible in a darker bar.

Below the "Test" button, there is a link that says "Sign up for Google Drive".

You can add multiple storage destinations. The backup data will be uploaded to all the destinations you have selected in the order you added them. Press the ^ v icon to alter the order. Click **Next** to proceed when you are done with the selection.

## Destination

Backup mode  
Sequential

Existing storage destinations

- B247CBS  
Host: 10.16.10.12:443
- Local-1  
C:\Users\Administrator\Documents
- GoogleDrive-1

Add

^ v



16. In the Encryption window, the default **Encrypt Backup Data** option is enabled with an encryption key preset by the system which provides the most secure protection.

## Encryption

Encrypt Backup Data  
On

Encryption Type

- Default
- Default
- User password
- Custom

You can choose from one of the following three (3) Encryption Type options:

- **Default (Machine Generated Random)** – an encryption key with 44 alphanumeric characters will be randomly generated by the system.
- **User password** – the encryption key will be the same as the login password of your Backup247 Standard Backup Suite (B247LITE) at the time when this backup set is created. Please be reminded that if you change the Backup247 Standard Backup



Suite (B247LITE) login password later, the encryption keys of the backup sets previously created with this encryption type will remain unchanged.

- **Custom** – you can customize your encryption key, where you can set your own algorithm, encryption key, method and key length.


The screenshot shows the 'Encryption' settings page. At the top, the word 'Encryption' is displayed in a large blue font. Below it, there are several configuration options: 'Encrypt Backup Data' is set to 'On' with a toggle switch; 'Encryption Type' is set to 'Custom' in a dropdown menu; 'Algorithm' is set to 'AES' in a dropdown menu; 'Encryption key' and 'Re-enter encryption key' are both masked with six dots in text input fields; 'Method' has radio buttons for 'ECB' and 'CBC', with 'CBC' selected; 'Key length' has radio buttons for '128-bit' and '256-bit', with '256-bit' selected.

If you have enabled the Encryption Key feature in the previous step, the following pop-up window will show regardless of the selected encryption type.

The screenshot shows a pop-up window titled 'Encryption' with a dark grey header. The main content area has a blue background. It contains the following text: 'You are advised to write this encryption key down on paper and keep it in a safe place. You will need it when you need to restore your files later. Please confirm that you have done so.' Below this text is a text input field with six dots. Underneath the field is the text 'Unmask encryption key'. At the bottom right, there are two buttons: 'Copy to clipboard' and 'Confirm'.

The pop-up window has the following three options to choose from:

- **Unmask encryption key** – The encryption key is masked by default. Click this option to show the encryption key.



- **Copy to clipboard** – Click this to copy the encryption key, then you can paste it on another location of your choice for your reference (e.g. notepad).
- **Confirm** – Click this to exit this pop-up window and proceed to the next step.

If you have enabled the scheduled backup option, you will be prompted to enter the **User Name** and **Password** of the Windows account that will be running the backup.

## Windows User Authentication

Domain Name (e.g Ahsay.com) / Host Name

User name

Password

Click **Next** to create the backup set.

17. The following screen is displayed when the new Cloud File backup set is created successfully. Click **Backup now** to start the backup job or click **Close** to return to the main screen.

## Congratulations!

"Client Run Cloud File Backup" is successfully created.


Backup now

Close



18. Based on Best Practices and Recommendations, it is highly recommended to change the **Temporary Directory**. Select another location with sufficient free disk space other than Drive C.

Go to **Others > Temporary Directory**. Click **Change** to browse for another location.



19. Optional: Select your preferred **Compression** type. By default, the compression is Fast with optimization for local.

Go to **Others > Compressions**. Select from the following list:

- No Compression
- Normal
- Fast (Compressed size larger than normal)
- Fast with optimization for local

Client Run Cloud File ...

- General
- Source
- Backup Schedule
- Destination
- Reminder
- Others**

### Retention Policy

How to retain the files in the backup set, which have been deleted in the backup source

7 Day(s)

### Temporary Directory

Temporary directory for storing backup files

C:\Users\Administrator\.acb\temp Change

11.2GB free out of total 39.66GB space in C:

Remove temporary files after backup

### Compressions

Select compression type

- No Compression
- No Compression
- Normal
- Fast (Compressed size larger than normal)
- Fast with optimization for local**

Algorithm AES  
Method CBC  
Key length 256 bits

Delete this backup set Save Cancel Help



## 4 Running Backup Job

For an overview of the backup process, please refer to Chapter 12 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.

To start a backup, follow the steps below:


1. Log in to Backup247 Standard Backup Suite (B247LITE).

For instructions on how to do this, please refer to Chapter 8 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.


2. Click the **Backup** icon on the main interface of Backup247 Standard Backup Suite (B247LITE).




3. Select the backup set which you would like to start a backup for.



4. Click the **Show advanced option** in case you want to modify the Destinations, Migrate Data and Retention Policy options.



5. When the advanced options are shown, it is recommended to enable the **Run Retention Policy after backup**. This will help you save hard disk quota in the long run.





#### NOTE

When the **Migrate Data** option is enabled, the existing data will be migrated to the latest version during a backup job. This option is disabled by default. Backup job(s) for backup sets


with Migrate Data enabled may take longer to finish. For more information about this feature, refer to [B247CBS v9 New Features Supplemental document](#).



6. Once done with the settings, click the **Backup** button to start the backup job.



7. The following screen will be displayed to indicate that the backup job is successfully completed. You may click the  button to check for the backup log.

## Backup

 Client Run Cloud File Backup

 **B247CBS** (Host: 10.3.121.17:80) 

✓ Backup Completed Successfully

Estimated time left	0 sec
Backed up	1.85MB (18 files, 8 directories, 0 link)
Elapsed time	18 sec
Transfer rate	818.47Kbit/s

Close Help



- Once you are done with checking the backup log, click the **Close** button to return to the previous screen.


Type	Log	Time
[i]	Start [ B247Lite v9.0.3.26 ]	01/24/2022 14:19:42
[i]	Saving encrypted backup set encryption keys to server...	01/24/2022 14:19:42
[i]	Start Backup ... [Deduplication: enabled, Deduplication scope: All files within the same backup set, Migrate Delta: disabled]	01/24/2022 14:19:43
[i]	Using Temporary Directory C:\Users\Administrator\acbt\temp\1642993910547\OBS@1643002568238	01/24/2022 14:19:43
[i]	Downloading server file list...	01/24/2022 14:19:45
[i]	Download valid index files from backup job "null" to "C:\Users\Administrator\acbt\temp\1642993910547\OBS@16430025...	01/24/2022 14:19:45
[i]	Downloading server file list... Completed	01/24/2022 14:19:45
[i]	Reading backup source from hard disk...	01/24/2022 14:19:46
[i]	[New Directory]... Test Files	01/24/2022 14:19:47
[i]	[New Directory]... Work Files	01/24/2022 14:19:47
[i]	[New Directory]... Test Files	01/24/2022 14:19:47
[i]	[New Directory]... Work Files	01/24/2022 14:19:47
[i]	[New Directory]... Test Files/HTML files (Requirements)	01/24/2022 14:19:47
[i]	[New Directory]... Test Files/Latest version	01/24/2022 14:19:47
[i]	[New File]... 51% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
[i]	[New File]... 80% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
[i]	[New File]... 100% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
[i]	[New File]... 11% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
[i]	[New File]... 22% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
[i]	[New File]... 33% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
[i]	[New File]... 44% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
[i]	[New File]... 55% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
[i]	[New File]... 65% of "Test Files/HTML files (Requirements)/BS Create Oracle ----included.html"	01/24/2022 14:19:49

Logs per page 50 Page 1 / 4

Close

## View Report

To view the backup report(s), go back to the Backup247 Standard Backup Suite (B247LITE) main interface, then click **Report > Backup**.



In the Backup Report screen, you will see the backup set with corresponding destination, completion date and time, and status. Click the backup report and the summary of the backup will be displayed.

A screenshot of the Backup Report interface. On the left is a navigation sidebar with a purple header "Report" and three menu items: "Backup" (highlighted in purple), "Restore", and "Usage". The main content area is titled "Backup Report" and includes a date range selector (From: 17 Jan 2022, To: 24 Jan 2022, Go button), a table of backup sets, and pagination controls (No. of records per page: 50, Page: 1/1). At the bottom right are "Close" and "Help" buttons.

Backup set	Destination	Completion	Status
Backup Set_2	B247CBS	Today 14:25	Completed
Client Run Clo...	B247CBS	Today 14:20	Completed

Click the **View Log** button; this will redirect you to the log summary of your backup.

## Report

- Backup
- Restore
- Usage

### Backup Report

From    To

Backup set	Destination	Completion	Status
Backup Set_2	B247CBS	Today 14:25	Completed

Backup set	Client Run Cloud File Backup	<span style="color: red; font-weight: bold;">X</span>
Destination	B247CBS	
Job	01/24/2022 14:19	
Time	Today 14:19 - 14:20 (CST)	
Status	✔ Completed successfully	
New files *	18 [1.8MB/1.8MB (0%)]	
Updated files *	0	
Attributes Changed Files *	0	
Moved files *	0	
Deleted files *	0	
Dedupe Saving	1.4M/1.8M [74.3%]	

\* Unit = No of files [Total zipped size / Total unzipped size (compression ratio)]

View log

No. of records per page  Page

Backup set 
Destination

Log 
Show

Type	Log	Time
	Start [ B247Lite v9.0.3.26 ]	01/24/2022 14:19:42
	Saving encrypted backup set encryption keys to server...	01/24/2022 14:19:42
	Start Backup ... [Deduplication: enabled, Deduplication scope: All files within the same backup set, Migrate Delta: disabled]	01/24/2022 14:19:43
	Using Temporary Directory C:\Users\Administrator\acbt\temp\1642993910547\OBS@1643002568238	01/24/2022 14:19:43
	Downloading server file list...	01/24/2022 14:19:45
	Download valid index files from backup job "null" to "C:\Users\Administrator\acbt\temp\1642993910547\OBS@1643002568238"	01/24/2022 14:19:45
	Downloading server file list... Completed	01/24/2022 14:19:45
	Reading backup source from hard disk...	01/24/2022 14:19:46
	[New Directory]... Test Files	01/24/2022 14:19:47
	[New Directory]... Work Files	01/24/2022 14:19:47
	[New Directory]... Test Files	01/24/2022 14:19:47
	[New Directory]... Work Files	01/24/2022 14:19:47
	[New Directory]... Test Files/HTML files (Requirements)	01/24/2022 14:19:47
	[New Directory]... Test Files/Latest version	01/24/2022 14:19:47
	[New File]... 51% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
	[New File]... 80% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
	[New File]... 100% of "Test Files/HTML files (Requirements)/BS_Source_Oracle -- included.html"	01/24/2022 14:19:48
	[New File]... 11% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
	[New File]... 22% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
	[New File]... 33% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49
	[New File]... 44% of "Test Files/HTML files (Requirements)/BS_Create_Oracle ----included.html"	01/24/2022 14:19:49

Logs per page  Page

You can also search for backup reports from a specific period of date. For example, we have the **From** date which is, **01 Jan 2022** and the **To** date which is, **10 Jan 2022**. Click the **Go** button to generate the available reports.

From		To					
01	Jan	2022	10	Jan	2022	Go	

If this is a valid range of dates, then backup report(s) will be displayed unless there were no backup running on the specified dates. A message of **No records found** will also be displayed.

## Report

- Backup
- Restore
- Usage

### Backup Report

From		To					
01	Jan	2022	10	Jan	2022	Go	
Backup set	Destination	Completion	Status				
No records found							

No. of records per page: 50 Page: -

[Close](#) [Help](#)

## 5 Restoring a Cloud File Backup Set

Backup247 Standard Backup Suite (B247LITE) provides three (3) options in restoring a backup such as through the **Local machine**, **Original location**, and **Alternate location**. After this quick walkthrough, you will see the step-by-step instructions with corresponding screen shots on how to restore your data using the following options below.

- **Local machine**

Restore your data to your local computer where the Backup247 Standard Backup Suite (B247LITE) is running.

- **Original location**

Aside from the location machine, you can also restore your data to your original location, on the cloud storage, where you backed up them.


- **Alternate location**

Besides the two (2) options above, you can also restore your data to an alternate location which is through the same cloud storage but on a different folder.

**NOTE**

Log in to the Backup247 Standard Backup Suite (B247LITE) application according to the instructions provided in [Chapter 8](#) of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.


1. On the main interface, click the following icon.



2. Select the backup set that you would like to restore.

## Please Select The Backup Set To Restore



Sort by  
Creation Time ▾

-  **Client Run Cloud File Backup**  
Owner: w8-pro  
Last Backup: Monday, January 24, 2022 14:19
-  **Backup Set\_2**  
Owner: w8-pro  
Last Backup: Monday, January 24, 2022 14:24

Close Help

3. Select the backup destination that contains the data that you would like to restore.

## Select From Where To Restore

-  **Client Run Cloud File Backup**
-  **B247CBS**  
Host: 10.3.121.17:80

Previous Cancel Help

4. Select to restore from a specific backup job, or the latest job available from the **Select what to restore** drop-down menu.

## Select Your Files To Be Restored

Select what to restore

Choose from files as of job  Latest

Folders	Name	Size	Date modified
B247CBS	<input checked="" type="checkbox"/> HTML files (Requirements)		
<input checked="" type="checkbox"/> Test Files	<input checked="" type="checkbox"/> Latest version		
<input checked="" type="checkbox"/> HTML files (Requirements)	<input checked="" type="checkbox"/> New updates		
<input checked="" type="checkbox"/> Latest version			
<input checked="" type="checkbox"/> New updates			
<input checked="" type="checkbox"/> Work Files			

Restore to local computer

Items per page 50 Page 1 / 1

Search

Previous Next Cancel Help

5. Tick the **Restore to local computer** if you want to restore the backup data to the local drive. Once done selecting the files and/or folders to restore, click **Next** to proceed.

## Select Your Files To Be Restored

Select what to restore

Choose from files as of job  Latest

Folders	Name	Size	Date modified
B247CBS	<input checked="" type="checkbox"/> HTML files (Requirements)		
<input checked="" type="checkbox"/> Test Files	<input checked="" type="checkbox"/> Latest version		
<input checked="" type="checkbox"/> HTML files (Requirements)	<input checked="" type="checkbox"/> New updates		
<input checked="" type="checkbox"/> Latest version			
<input checked="" type="checkbox"/> New updates			
<input checked="" type="checkbox"/> Work Files			


Restore to local computer

Items per page 50 Page 1 / 1

Search

Previous Next Cancel Help

If you want to search for directories, files, folders and mails to be restored, click **Search** to use the restore filter.




For more information on how to use the restore filter, please refer to Chapter 14.2 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.

For more detailed examples using the restore filter, refer to Appendix A: Example Scenarios for Restore Filter using Backup247 Standard Backup Suite (B247LITE).


6. The window that will be displayed will depend on the restore destination selected. Here are the three options:

- **Local computer**

If you want to restore on your local computer, browse the corresponding directory path on the local drive where you want the backup data to be restored by clicking the **Browse** button.



Click **Show advanced option** to configure other restore settings.





### Verify checksum of in-file delta files during restore

By enabling this option, the checksum of in-file delta files will be verified during the restore process. This will check the data for errors during the restore process and will create a data summary of the in-file delta files which will be included in the report.

Choose Where The Files To Be Restored

Restore files to  
C:\Users\Administrator\Desktop\Restore Location

Verify checksum of in-file delta files during restore  
[Hide advanced option](#)

- **Original location**

If you have chosen this option, the backup data will be restored to the computer running the Backup247 Standard Backup Suite (B247LITE) under the same directory path.

Choose Where The Files To Be Restored

Restore files to  
 Original location  
 Alternate location

[Show advanced option](#)

- **Alternate location**

If you have chosen this option, the backup data will be restored to another location of your choice. Click **Change** to select the alternate path on the cloud storage.

Choose Where The Files To Be Restored

Restore files to

Original location

Alternate location

Show advanced option

Select the path where the data will be restored then click **OK**.

Change Path

Google Drive

- Backup247
  - 1624420084456
  - 1635849465170
  - 1642648016241
  - settings
  - Backup
  - Hotfix
  - Latest version
  - New updates
  - Test Files
  - Work Files

## Choose Where The Files To Be Restored

Restore files to

Original location

Alternate location

[Show advanced option](#)

Click **Next** to proceed.


### NOTE

Data can only be restored to the local computer, or to the original cloud storage where the data was backed up from (i.e., same cloud storage provider and same account). Restoring backup data to a different cloud storage provider or different account is NOT possible.


7. Select the temporary directory for storing temporary restore files. Click the **Restore** button to start the restoration process.


## Temporary Directory

Temporary directory for storing restore files


- The following screen will be displayed to indicate that the restore job is successfully completed. You may click the  button to check for the restore log.

## Restore


**Client Run Cloud File Backup**



**B247CBS** (Host: 10.3.121.17:80)

✓ Restore Completed Successfully 

Estimated time left 0 sec

Restored 0B (0 file)





















Elapsed time 5 sec

Transfer rate 0bit/s



- Once you are done with checking the restore log, click the **Close** button to return to the previous screen.

Show All ▼

Type	Log	Time
	Start [ B247Lite v9.0.3.26 ]	01/24/2022 15:30:17
	Downloading... "Test Files/HTML files (Requirements)/BS_Source_Oracle --- included.html" (Total 995 bytes)	01/24/2022 15:30:20
	Downloading... "Test Files/HTML files (Requirements)/BS_Create_Oracle ---included.html" (Total 31K bytes)	01/24/2022 15:30:20
	Downloading... "Test Files/HTML files (Requirements)/BS_General_Oracle ---included.html" (Total 2K bytes)	01/24/2022 15:30:20
	Downloading... "Test Files/HTML files (Requirements)/BS_Create_Oracle_Source --- included.html" (Total 1K bytes)	01/24/2022 15:30:20
	Downloading... "Test Files/Latest version/vSAN-hosts.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/Latest version/was_admin.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/Latest version/vm_workstation_01.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/New updates/was_admin.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/New updates/vm_workstation_01.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/New updates/vSAN-hosts.png" (Total 280K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/HTML files (Requirements)/Restore_Oracle.html" (Total 6K bytes)	01/24/2022 15:30:21
	Downloading... "Test Files/HTML files (Requirements)/Backup_Oracle --- included.html" (Total 1K bytes)	01/24/2022 15:30:21
	Downloading... "Work Files/PowerPoint/PowerPoint1.pptx" (Total 0 bytes)	01/24/2022 15:30:22
	Downloading... "Work Files/PowerPoint/PowerPoint2.pptx" (Total 0 bytes)	01/24/2022 15:30:22
	Downloading... "Work Files/PowerPoint/PowerPoint3.pptx" (Total 0 bytes)	01/24/2022 15:30:22
	Downloading... "Work Files/Images/MicrosoftTeams-image (3).png" (Total 25K bytes)	01/24/2022 15:30:22
	Downloading... "Work Files/Images/MicrosoftTeams-image (2).png" (Total 30K bytes)	01/24/2022 15:30:22
	Downloading... "Work Files/Images/MicrosoftTeams-image (1).png" (Total 104K bytes)	01/24/2022 15:30:22
	Restore Completed Successfully	01/24/2022 15:30:22

Logs per page 50 ▼
Page 1 / 1 ▼




## 6 Contact Backup247

### 6.1 Technical Assistance

To contact Backup247 support representatives for technical assistance, visit our website <https://backup247.com.au/Support.php>

### 6.2 Documentation

Documentations for all Backup247 modules, user guide and QuickStart are available on our website. Alternatively, email us on [support@backup247.com.au](mailto:support@backup247.com.au) for technical demo.



## Appendix

### Appendix A Example Scenarios for Restore Filter using Backup247 Standard Backup Suite (B247LITE)

**Example No. 1:** Restore filter setting - Files and Directories

<b>Location:</b>	Photos/TestFiles/Photos
<b>Search subfolders:</b>	True
<b>Kind:</b>	Files and Directories
<b>Type:</b>	Contains
<b>Pattern:</b>	Test
<b>Match Case:</b>	True

For more information on how to use the restore filter, please refer to Chapter 14.2 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.

**Search**

Look in

Search subfolders

Kind      Type      Pattern  
    Match case

Name	In Folder	Size	Date modified

Items per page  Page

## Search

Look in

Photos/TestFiles/Photos

Change

Search subfolders

Kind

Files and Directories

Type

contains

Pattern

Test

Match case

Searching ...

Stop

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> TestJPG-1.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-2.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-3.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:03
<input checked="" type="checkbox"/> TestJPG-4.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestJPG-5.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestPNG-1.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-2.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-3.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-4.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-5.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:07

Items per page 50

Page 1 / 1

OK

Cancel

Help

Previous

Next

Cancel

Help

## Search

Look in

Photos/TestFiles/Photos

Change

Search subfolders

Kind

Files and Directories

Type

contains

Pattern

Test

Match case

Search

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> TestJPG-1.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-2.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-3.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:03
<input checked="" type="checkbox"/> TestJPG-4.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestJPG-5.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestPNG-1.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-2.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-3.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-4.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-5.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:07

Items per page 50

Page 1 / 1

OK

Cancel

Help

Previous

Next

Cancel


Help

**Explanation:**

All files and directories under /Photos/TestFiles/Photos that has the exact pattern of 'Test' with match-case set to true will be included upon performing search.

As you can see on the screenshot above, the result panel contains the Name of the Files and/or Directories, Directory of the files and/or directories which are indicated in Folder column, Size of each files and/or directories, and Date Modified.

The restore filter setting includes the Search subfolder and Match case set to true. This means that the filter will include all available subfolders in /Photos folder upon searching. And it will strictly search only the specified pattern and case which contains with 'Test'.





**Example No. 2:** Restore filter setting - Files only

<b>Location:</b>	Photos/TestFiles/Photos
<b>Search subfolders:</b>	True
<b>Kind:</b>	Files only
<b>Type:</b>	Starts with
<b>Pattern:</b>	T
<b>Match Case:</b>	True

For more information on how to use the restore filter, please refer to Chapter 14.2 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.

The screenshot shows a search dialog box with the following settings:

- Look in:** Photos/TestFiles/Photos
- Search subfolders
- Kind:** Files only
- Type:** starts with
- Pattern:** T
- Match case

Below the settings is a table with columns: Name, In Folder, Size, and Date modified. The table is currently empty. At the bottom of the dialog, there are buttons for 'OK', 'Cancel', and 'Help', and a footer with 'Previous', 'Next', 'Cancel', and 'Help'.

## Search

Look in  
 Change

Search subfolders

Kind: Files only | Type: starts with | Pattern: T |  Match case

Searching ... Stop

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> TestJPG-1.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-2.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-3.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:03
<input checked="" type="checkbox"/> TestJPG-4.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestJPG-5.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestPNG-1.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-2.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-3.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-4.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-5.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:07

Items per page: 50 | Page: 1 / 1

OK Cancel Help

Previous Next Cancel Help

## Search

Look in  
 Change

Search subfolders

Kind: Files only | Type: starts with | Pattern: T |  Match case

**Search**

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> TestJPG-1.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-2.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:02
<input checked="" type="checkbox"/> TestJPG-3.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:03
<input checked="" type="checkbox"/> TestJPG-4.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestJPG-5.jpg	Photos/TestFiles/Photos	517 KB	10/16/2019 03:04
<input checked="" type="checkbox"/> TestPNG-1.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-2.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:05
<input checked="" type="checkbox"/> TestPNG-3.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-4.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:06
<input checked="" type="checkbox"/> TestPNG-5.png	Photos/TestFiles/Photos	517 KB	10/16/2019 03:07

Items per page: 50 | Page: 1 / 1

OK Cancel Help


Previous Next Cancel Help

**Explanation:**

All files only under /Photos/TestFiles/Photos that has the exact pattern of 'T' with match-case set to true will be included upon performing search.

As you can see on the screenshot above, the result panel contains the Name of the files, Directory of the files which are indicated in Folder column, Size of each files, and Date Modified.

The restore filter setting includes the Search subfolder and Match case set to true. This means that the filter will include all available subfolders in /Photos folder upon searching. And it will strictly search only the specified pattern and case which starts with 'T'.



**Example No. 3:** Restore filter setting - Directories only

<b>Location:</b>	Photos/TestFiles
<b>Search subfolders:</b>	True
<b>Kind:</b>	Directories only
<b>Type:</b>	Ends with
<b>Pattern:</b>	s
<b>Match Case:</b>	True

For more information on how to use the restore filter, please refer to Chapter 14.2 of the **Backup247 Standard Backup Suite (B247LITE) v9 Quick Start Guide for Windows**.

The screenshot shows a search interface with the following elements:

- Search** (Section Header)
- Look in:** Photos/TestFiles (with a **Change** button)
- Search subfolders**
- Kind:** Directories only (dropdown)
- Type:** ends with (dropdown)
- Pattern:** s (text input)
- Match case**
- Search** (button)
- Table:**

Name	In Folder	Size	Date modified
- Items per page:** 50 (dropdown)
- Page:** - (dropdown)
- Buttons:** OK, Cancel, Help (top right); Previous, Next, Cancel, Help (bottom right)

## Search

Look in  
Photos/TestFiles Change

Search subfolders

Kind: Directories only  Type: ends with  Pattern: s  Match case

Searching ... Stop

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> Photos	Photos/TestFiles		

Items per page: 50 Page 1 / 1

OK Cancel Help

Previous Next Cancel Help

## Search

Look in  
Photos/TestFiles Change

Search subfolders

Kind: Directories only  Type: ends with  Pattern: s  Match case

Search

Name	In Folder	Size	Date modified
<input checked="" type="checkbox"/> Photos	Photos/TestFiles		

Items per page: 50 Page 1 / 1

OK Cancel Help

Previous Next Cancel Help

**Explanation:**

All directories only under /Photos/TestFiles that has the exact pattern of 's' with match-case set to true will be included upon performing search.

As you can see on the screenshot above, the result panel contains the Name of the directories, Directory which are indicated in Folder column, Size of each directories, and Date Modified.

The restore filter setting includes the Search subfolder and Match case set to true. This means that the filter will include all available subfolders in /TestFiles folder upon searching. And it will strictly search only the specified pattern and case which ends with 's'.

