



Backup Advanced Backup Manager (B247PRO) v9

Cloud File Backup & Restore Guide for MacOS





Copyright Notice

© 2023 Backup247 Pty Ltd. All rights reserved.

The use and copying of this product is subject to a license agreement. Any other use is prohibited. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form by any means without prior written consent of Backup247 Pty Limited. Information in this manual is subject to change without notice and does not represent a commitment on the part of the vendor, Backup247 Pty Limited does not warrant that this document is error free. If you find any errors in this document, please report to Backup247 Pty Limited in writing.

Trademarks

Backup247, Backup247 Cloud Backup Suite (B247CBS), Backup247 Advanced Backup Suite (B247PRO), Backup247 Offsite Backup Server, Backup247 Standard Backup Suite (B247LITE), Backup247 Replication Server, Backup247 Backup247 Firmware, Backup247 Universal Backup System and Backup247 NAS Client Utility, Backup247 Mobile are trademarks of Backup247 Pty Limited.

Amazon S3 is a registered trademark of Amazon Web Services, Inc., or its affiliates.

Apple and Mac OS X, macOS, and iOS are registered trademarks of Apple Computer, Inc.

Dropbox is a registered trademark of Dropbox Inc.

Google Cloud Storage, Google Drive, Google Authenticator, and Android are registered trademarks of Google Inc.

Backblaze B2 Cloud Storage is a registered trademark of Backblaze Inc.

MariaDB is a registered trademark of MariaDB Corporation AB.

Lotus, Domino, and Notes are registered trademark of IBM Corporation.

Microsoft Windows, Microsoft Exchange Server, Microsoft SQL Server, Microsoft Hyper-V, Microsoft Azure, OneDrive, OneDrive for Business, Microsoft Authenticator, and Microsoft Office 365 are registered trademarks of Microsoft Corporation.

Oracle, Oracle Database, Java and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

OpenJDK is a registered trademark of Oracle America, Inc.

Rackspace and OpenStack are registered trademarks of Rackspace US, Inc.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo and JBoss are registered trademarks of Red Hat, Inc. www.redhat.com in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the U.S. and other countries.

Ubuntu is a registered trademark of Canonical Ltd.

Debian is a registered trademark of Software in the Public Interest, Inc.

Rocky is a registered trademark of Rocky Brands.

ShadowProtect is a registered trademark of StorageCraft Technology Corporation.

VMware ESXi, vCenter, and vSAN are registered trademarks of VMware, Inc.

All other product names are registered trademarks of their respective owners.

Disclaimer

Backup247 Pty Limited will not have or accept any liability, obligation, or responsibility whatsoever for any loss, destruction or damage (including without limitation consequential loss, destruction or damage) however arising from or in respect of any use or misuse of reliance on this document. By reading and following the instructions in this document, you agree to accept unconditionally the terms of this Disclaimer and as they may be revised and/or amended from time to time by Backup247 Pty Limited without prior notice to you.



Revision History

Date	Descriptions	Version
25 January 2022	 Ch. 4 - added migrate data 	9.1.0.0
	24/7	





Table of Contents

1	Over	view	1	
	1.1	What is this software?	1	
	1.2	System Architecture	1	
	1.3	Why should I use Backup247 Advanced Client (B247PRO) (Agent-based)		
	Solutior	n to back up my cloud data?		
	1.4	About This Document	6	
2	Prepa	reparing for Bac <mark>kup</mark> and <mark>Restore8</mark>		
	2.1	Hardware Re <mark>quir</mark> ement	8	
	2.2	Software Requirement	8	
	2.3	Internet / Netw <mark>ork Connec</mark> tion	8	
	2.4	Backup247 Advanced Client (B247PRO) Installation	8	
	2.5	Valid Backup247 Advanced Client (B247PRO) User Account	8	
	2.6	Backup247 Li <mark>cense Requirements</mark>	8	
	2.7	Add-on Modu <mark>le Requirements</mark>	8	
	2.8	Backup Quot <mark>a Requirement</mark>	9	
	2.9	Cloud Source <mark>s</mark>	9	
	2.10	Login Creden <mark>tials to Cloud Storage.</mark>	. 10	
	2.11	Network Band <mark>width</mark>	. 10	
	2.12	Best Practice <mark>s and Recommendatio</mark> ns	. 10	
	2.13	Limitations	. 11	
3		ting a Cloud <mark>File Backup Set</mark>		
4	Runn	ning a Backu <mark>p</mark>	31	
5	Resto	oring with a C <mark>loud File Backup Set</mark>	37	
6	Conta	acting Backup <mark>247</mark>	45	
	6.1	Technical Assistance	. 45	
	6.2	Documentation	45	



1 Overview

1.1 What is this software?

Backup247 brings you specialized client backup software, namely Backup247 Advanced Client (B247PRO), that allows you to back up your data stored on the cloud storage to either the B247CBS backup server, another cloud or predefined storage, and local destination. This provides set of tools that include backup and recovery of individual files with versioning and retention policy to protect your data on cloud storages.


1.2 System Architecture

For agent-based backup and restore, the Backup247 Advanced Client (B247PRO) initiates connection to the cloud storage (backup source) through the internet via the deployed backup agent on the customer's site.

Below is the system architecture diagram illustrating the major elements involved in the backup and restore process using the Backup247 Advanced Client (B247PRO) Run on Client (Agent-based) backup configuration.








1.3 Why should I use Backup247 Advanced Client (B247PRO) (Agent-based) Solution to back up my cloud data?

We are committed to bringing you a comprehensive Run on Client (Agent-based) cloud backup and recovery solution with Backup247 Advanced Client (B247PRO). Below are some key areas that we can help to make your backup experience a better one.





User-defined Backup Destination

Backup users have more options in assigning a backup destination (i.e., B247CBS, Cloud or Predefined destinations, and standard and local destination).

Performance

Agent-based backup is performed on a physical machine or computer with resources that is dedicated for backup and restore operations. Once the backup client is deployed on the machine, users have more control on the hardware which affects the overall backup and restore performance.

Easy to Use

Agent-based backup solution has a traditional backup approach that is well understood by most administrators and end users who would only need minimal effort and time to understand the backup and/or restore operations.

Task-centered User Interface

Agent-based backup solution make it a good option for users to have more control on the individual backup/restore and resources management.

System Logs Availability

System logs for data integrity check and space freeing up results is accessible for the end users and can be reviewed anytime. Unlike with the agentless backup where system logs will only be available upon request from the backup service provider.



More Restore Locations

Agent-based backup offers you three (3) restore locations such as the local machine, original location (or the cloud storage where you backed up them), and alternate location (which is through the same cloud storage but on a different folder).

Restore Filter

Agent-based backup has a restore filter feature which allows users to easily search directories, files, and/or folders to restore.

High Level of Security

We understand that the data on your cloud storage may contain sensitive information that requires to be protected, that is why we ensure that your backup data will be encrypted with the highest level of security measure.

- Un-hackable Encryption Key to provide the best protection to your backup data, the encryption feature which will default encrypt the backup data locally with an AES 256-bit randomized encryption key.
- Encryption Key Recovery Furthermore, we have a backup plan for you to recover your encryption key in case you have lost it. Your backup service provider can make it mandatory for you to upload the encryption key to the centralized management console, the encryption key will be uploaded in hashed format and will only be used when you request for a recovery.





Cloud Destinations Backup

By default, the B247CBS is set as the storage destination in creating a cloud file backup set. However, you may add another storage destination(s) as provided by your backup service provider. Below is a list of supported cloud destinations:

~	Aliyun	Azure	Microsoft Azure
天翼云	CTYun		Microsoft OneDrive
aws	Amazon S3	OneDrive for Business	Microsoft OneDrive for Business
web services	AWS S3 Compatible Cloud Storage	ß	Rackspace
	Wasabi 24/7		OpenStack
٩	Backblaze	\mathbf{i}	Dropbox
	Google Cloud Storage		FTP
	Google Drive	SFTP	SFTP
	NOTE		

For more details, please contact B247 Technical Support.



Run on Client

A Run on Client Cloud File Backup Set provides you with an agent-based backup solution. Manual, scheduled, or continuous backup job is performed on the client computer. A backup agent needs to be installed on the client machine in order to back up your data on cloud storage(s).

Differences between a Run on Client and Run on Server Backup Set

The following table summarizes the differences in backup options available between a Run on Client and Run on Server cloud file backup set, and the tool to use (client agent or web console) when performing a backup and restore:

Features/Functions	Run on Client Cloud File Backup Set	Run on Server Cloud File Backup Set
General Settings	\checkmark	\checkmark
Backup Source	\checkmark	\checkmark
Backup Schedule	24/1	\checkmark
Continuous Backup	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE) for Windows only	\checkmark
Destination	B247CBS, Predefined Destinations, Standard and Local	B247CBS or Predefined Destinations only
Multiple Destinations	✓	×
Deduplication	Backup247 Advanced Client (B247PRO)	Backup247 Advanced Client (B247PRO)
Retention Policy	✓	Backup247 Advanced Client (B247PRO)
Command Line Tool	Backup247 Advanced Client (B247PRO)	×
Reminder	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE) for Windows only	*
Restore Filter	✓	×
Bandwidth Control	~	Backup247 Advanced Client (B247PRO)
IP Allowed for Restore	\checkmark	×
System Logs of Data Integrity Check and Space Freeing Up	✓	×
Others	\checkmark	\checkmark
To Run a Backup	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE)	B247CBS User Web Console only
To Run a Restore	Backup247 Advanced Client (B247PRO) / Backup247 Standard Backup Suite (B247LITE)	B247CBS User Web Console only



Aside from the backup options, the table below shows other operations that can be performed using client agent and web console:

Features/Functions	Run on Client Cloud File Backup Set	Run on Server Cloud File Backup Set
Data Integrity Check	\checkmark	\checkmark
Space Freeing Up	\checkmark	×
Delete Backup Data	\checkmark	\checkmark
Decrypt Backup Data	\checkmark	×

NOTE

For more details on the Run on Server backup option, please refer to the following guides: B247CBS v9 User Guide – Cloud File Run on Server (Agentless) Backup and Restore Guide

1.4 About This Document 24/7

What is the purpose of this document?

This document aims at providing all necessary information for you to get started with setting up your system for Run on Client Cloud File backup and restore, followed by step-by-step instructions on a creating a backup set, running a backup and restoring backup data using the Backup247 Advanced Client (B247PRO) client.

The document can be divided into three (3) main parts.

Part 1: Preparing for Cloud File Backup & Restore

Requirements Requirements on hardware & software installation

Best Practices and Recommendations Items recommended to pay attention to before performing backup and restore

Part 2: Performing a Cloud File Backup

Logging in to Backup247 Advanced Client (Pro) client Log in to Backup247 Advanced Client (Pro)

Creating a Backup Set Create a backup set using Backup247 Advanced Client (Pro)

Running a Backup Set Run a backup set using Backup247 Advanced Client (Pro)

Part 3: Restoring a Cloud File Backup

Restoring a Backup Set using Backup247 Advanced Client (Pro) client Restore a backup set using Backup247 Advanced Client (Pro)




What should I expect from this document?

After reading through this documentation, you can expect to have sufficient knowledge to set up your system to backup data on Cloud storage using the client agent, as well as to carry out an end-to-end backup and restore process.

Who should read this document?

This documentation is intended for backup administrators and IT professionals who are responsible for the Cloud File backup and restore.





2 Preparing for Backup and Restore

2.1 Hardware Requirement

To achieve the optimal performance when running Backup247 Advanced Client (B247PRO) on your machine, refer to the following article for the list of hardware requirements. FAQ: Backup247 Hardware Requirement List (HRL) for version 9.1 or above

2.2 Software Requirement

Refer to the following article for the list of compatible operating systems and application version.

FAQ: Backup247 Software Compatibility List (SCL) for version 9.1 or above

2.3 Internet / Network Connection

In order to allow access to the cloud storage, a stable internet connection must be available on the computer where the Backup247 Advanced Client (B247PRO) is installed. If large amounts of data are backed up from a cloud storage account, then a fast internet connection is required.

2.4 Backup247 Advanced Client (B247PRO) Installation

Make sure that Backup247 Advanced Client (B247PRO) is installed on a computer with Internet access for connection to the cloud storage.

2.5 Valid Backup247 Advanced Client (B247PRO) User Account

A valid Backup247 Advanced Client (B247PRO) user account is required before you can log in to the Backup247 Advanced Client (B247PRO) client.

2.6 Backup247 License Requirements

O Licenses

The Cloud File Backup module is included in the basic Backup247 Advanced Client (B247PRO) license. There is no limit on the number of Cloud File backup sets in an Backup247 Advanced Client (B247PRO) user account.

For more details, please contact your backup service provider.

2.7 Add-on Module Requirements

In-File Delta

The In-File Delta add-on module must be added on the Backup247 Advanced Client (B247PRO) user account if you would like to use this feature. This only applies to backup sets created using Backup247 Advanced Client (B247PRO) v8 or before.

NOTE

This add-on module must be enabled on the Backup247 Advanced Client (B247PRO) user account. Please contact your backup service provider for details.



User Profile	General Backup Client Settings Contact User Gro	oup Authentication
Backup Set	Settings of the client backup agent for this user.	
Settings		
Report	Backup Client	
Statistics	B247Pro User B247Lite User	
Effective Policy	Add-on Modules	
	🔲 🔁 Microsoft Exchange Server	III 🛃 Microsoft SQL Server
	🔲 📉 MySQL Database Server	🔲 🧰 Oracle Database Server
	Lotus Domino	Lotos Notes
	🔲 🧿 Windows System Backup	Windows System State Backup
	VMware Deer VV - 1	Hyper-V Hyper-V
	Microsoft Exchange Mailbox	🔲 🎼 ShadouProtect System Backup
	🔲 🔝 NAS - QNAP	🔲 📷 NAS - Synalogy
	🔲 🚺 Mabile (max. 10)	Continuous Data Protection
	Volume Shadow Copy	🐼 🚺 In-File DeltaOnly apply to v6 or before
	🔲 🛜 OpenDirect / Granular Restore	Office 365 Backup
	MariaDB Database Server	Dedupication

2.8 Backup Quota Requirement

Make sure that your Backup247 Advanced Client (B247PRO) user account has sufficient quota assigned to accommodate the storage for the cloud file backup set(s) and retention policy.

2.9 Cloud Sources

The Backup247 Advanced Client (B247PRO) Run on Client (Agent-based) Backup Solution supports the following cloud sources to back up as provided by your backup service provider:

8	Aliyun	Azure	Microsoft Azure
て、大翼云	CTYun		Microsoft OneDrive
aws	Amazon S3	OneDrive for Business	Microsoft OneDrive for Business
web services	AWS S3 Compatible Cloud Storage	Ø	Rackspace
	Wasabi		OpenStack
٩	Backblaze		Dropbox
	Google Cloud Storage	\mathbf{A}	FTP
\bigtriangleup	Google Drive	SFTP	SFTP



2.10 Login Credentials to Cloud Storage

To allow access to the cloud storage (backup source) in performing a backup, make sure to have the correct login credentials to the cloud storage service.

2.11 Network Bandwidth

10 Mbps or above connection speed.

2.12 Best Practices and Recommendations

The following are some best practices and recommendations we strongly recommend you follow for optimized backup and restore performance:

Backup Destination

To provide maximum data protection and flexible restore options for agent-based backup, it is recommended to configure:

- At least one offsite or cloud destination
- At least one local destination for fast recovery

Temporary Directory Folder Location

Temporary directory folder is used by the Backup247 Advanced Client (B247PRO) for storing backup set index files and any incremental or differential backup files generated during a backup job. To ensure optimal backup/restoration performance, it is recommended that the temporary directory folder is set to a local drive.

Performance Recommendations

Schedule backup jobs when system activity is low to achieve the best possible performance.

Bucket Management for Enterprise Cloud Storage Providers

If you have chosen to back up files from an enterprise cloud storage (e.g., Amazon S3, Wasabi, Microsoft Azure, Google Cloud Storage, etc.), you will have to select a bucket name during the creation of cloud file backup set. Each bucket has a single compartment, and an access key is associated with a single bucket. Therefore, each backup set can back up one bucket.

For account with multiple buckets, the backup should be organized into one bucket per backup set. For best practice, make sure to assign one bucket name per backup set so you can ensure that you are selecting the correct file(s) to back up.

Test Restore Operations

Perform test restores periodically to ensure your backup is setup and backed up properly. Performing recovery test can also help identify potential issues or gaps in your recovery plan. It is important that you do not try to make the test easier, as the objective of a successful test is not to demonstrate that everything is flawless, but to discover faults in your recovery plan. There might be flaws identified in the plan throughout the test and it is important to identify those flaws.



• Periodic Backup Schedule

The periodic backup schedule should be reviewed regularly to ensure that the interval is sufficient to handle the data volume on the machine. Over time, data usage pattern may change on a Cloud storage account, i.e., the number of new files created, the number of files which are updated/deleted, and new users may be added etc.

Consider the following key points to efficiently handle backup sets with periodic backup schedule.

- Hardware to achieve optimal performance, compatible hardware requirements is a must. Ensure you have the backup machine's appropriate hardware specifications to accommodate frequency of backups,
 - so that the data is always backed up within the periodic backup interval
 - so that the backup frequency does not affect the performance of the production server
- Retention Policy also make sure to consider the retention policy settings and retention area storage management which can grow because of the changes in the backup data for each backup job.

2.13 Limitations

For backup source selection:

 It is currently not possible to select the entire contents of the Cloud drive. Existing toplevel folders and/or files must be selected individually. If you need to back up the contents of the entire Cloud drive, then all top-level folders and/or files must be selected.

Folders	Name	Size	Date modified
 Coople Drive Coople Drive Backup P Coople Test Files P Coople Test Files P Coople Test Files 	Backup Backup Backup Work Files Work Files View workstan_001.png wax_admin.png was_admin.png	281K8 281K8 281K8	03/05/2021 11:34 03/05/2021 11:34 03/05/2021 11:34
Show files	ltems p	er page 50	▼ Page 1/1 ▼



2. If there are any top-level folders and/or files added to the Cloud drive after the backup set is created, they will not be added in the backup source automatically. The backup set will have to be manually updated to include the new top-level folders and/or files before they can be backed up.

Example:

If the "Latest version" and "New updates" folders were created after the creation of the backup set, and the contents of these folders must be backed up, then you must manually select these folders to be included in the backup.

Cloud File	Backup Source		
General	Folders	Name Backup	Size Date modified
Source	Q Latest version Q New updates Q Test files	New updates Test Files Work Files vSAN-hosts.png	281KB 03/05/2021 11:34
Backup Schedule	Work Files	workstation_01.png was_admin.png	281KB 03/05/2021 11:34 281KB 03/05/2021 11:34 281KB 03/05/2021 11:34
Destination Show advanced settings			
	Show files	Items per page 50	♥ Page 1/1 ♥
Delete this backup set			Save Cancel

3. If there are any top-level folders and/or files which have been deleted from the Cloud drive since the last backup job, they will not be removed from the backup source automatically. The backup set will have to be manually updated to unselect the deleted top-level folders and/or files. Otherwise, the backup job will be completed with warnings.

Example:

The following files were backed up but subsequently deleted from the top-level backup source of the Cloud drive: **was_admin.png**, **vm_workstation_01.png**, **vSAN-hosts.png**. The next backup job will encounter the following warnings until these deleted files are unselected from the backup source.

The deleted files are highlighted in red on the backup source to indicate that they no longer exist on the Cloud storage account.



Cloud File Backup	Backup Source		
General	Folders	Name Backup Test Files Work Files	Size Date modified
Source	Work Files	vSAN-hosts.png	
Backup Schedule		🖬 📓 was_admin.png	
Destination Show advanced settings			
	Show files	Items per page 50	♥ Page 1/1 ♥
Delete this backup set			Save Cancel

Backup log

[2021/0 <mark>5/04 09:56:50] [wa</mark> rn] [1620092933022] Backup source "was_admin.png" does not exist !
[2021/0 <mark>5/04 09:56:50] [cb</mark> s] [1620092933022] warn,"Backup source \"was_admin.png\" does not exist !",0,0,0,,,
[2021/0 <mark>5/04 09:56:50] [wa</mark> rn] [1620092933022] Backup source "vm_workstation_01.png" does not exist !
[2021/0 <mark>5/04 09:56:50] [cb</mark> s] [1620092933022] warn,"Backup source \"vm_workstation_01.png\" does not exist !",0,0,0,,,
[2021/0 <mark>5/04 09:56:50] [wa</mark> rn] [1620092933022] Backup source "vSAN-h <mark>osts.png" does not ex</mark> ist !
[2021/05 <mark>/04 09:56:50] [cbs] [1620092933022] warn,"Backup source \"vSAN-hosts.png\" does not exist !",0,0,0,,,</mark>



3 Creating a Cloud File Backup Set

1. Log in to Backup247 Advanced Client (B247PRO).

For instructions on how to do this please refer to Chapter 7 of the Backup247 Advanced Client (B247PRO) v9 Quick Start Guide for Mac.

2. In the Backup247 Advanced Client (B247PRO) main interface, click **Backup Sets**.



3. Create a Cloud File backup set by clicking the "+" icon next to Add new backup set.

Backup Sets
Add new backup set
Close Help



4. Enter a **Name** for your backup set and select **Cloud File Backup** as the **Backup set type**.

Aame Client Run Cloud File Backup Backup set type File Backup Cloud File Backup Cloud File Backup	o Set
MySQL Backup MariaDB Backup Office 365 Backup WIware Backup	
	Next Cancel Help

5. Select the **Cloud type** of the cloud storage that contain the data that you want to backup.

	Client Run Cloud File Backup Backup set type Cloud File Backup ♥ Cloud type ○ 阿里云 ● 中国电信天翼云 ● Amazon S3 ● Amazon S3 ● Aws S3 Compatible Cloud Storage ◎ Wasabi ● Backblaze ◎ Google Cloud Storage
--	--




6. Depending on the cloud type you have selected, you will be prompted to enter the cloud service login details.

Click **Test** to get redirected to the login page of the cloud service provider on your default browser, then enter the login details there.

Create Back	up Set
Name Client Run Cloud File Backup Backup set type Cloud File Backup Cloud type Google Drive Test	
	Next Cancel Help
Click Allow to permit Backup247 Advanced Clien storage.	
B247 wants to access your Google Account @ @gmail.com This will allow B247 to:	
See, edit, create, and delete all of your Google () Drive files	
Make sure you trust B247	
You may be sharing sensitive info with this site or app. You can always see or remove access in your Google Account .	
Learn how Google helps you share data safely.	
See Ahsay's Privacy Policy and Terms of Service.	
Cancel Allow	



Copy and paste the code generated by the cloud service provider to Backup247 Advanced Client (B247PRO), then click **OK** to confirm



	Create Backup Set	
Name		
Client Run Cl Backup set typ	oud File Backup	
	e Backup 👻	
	In the browser, log in (if necessary), and click the "Allow" button to authorize this app. You will then be presented with an authorization code. Please copy the authorization code and paste it here to continue. 4XfWif-2jT_b6x1kdWmp7e1dvYMsTA_xbgKgh1JMqAWy8q8fo2dDXusJI	
		OK Cancel
		Next Cancel Help



7. Click **Next** to proceed.

window is not blocked, and po	
window is not blocked, and po	NOTE
window is not blocked, and po	Il be opened in a new tab or window. Ensure that the pop-up
window is not blocked, and po	Il be opened in a new tab or window. Ensure that the pop-up
	<mark>, select t</mark> he folder / files that you would like to backup.
	Backup Source
Folders ♥ Coogle Drive ► Alternate Location ► Deckup file ► totalier	s
Show files	
	Previous Next Cancel Help

NOTE

There are limitations in selecting files and/or folders in the backup source menu. For further details, please refer to Ch. 2.13 Limitations.



Tick the **Show files** checkbox at the bottom left corner if you would like to choose individual file for backup. Click **Next** to proceed when you are done with the selection.

Isolal NCT127 RIPAY (M 01,277 Isolal NCT127 RIPAY (M 01,277 Komparison between Incremental and D MC,0540,PC MC,0540,PC MC,0540,PC MC,0252,JPG Office/0365,02262020,pptx (referitals.txt howtoffenamestoexcel.txt wk.3.4.0-Release-Document-List_2506	> 12 to ackup file > □ to ackup file > □ to ackup file
06	MC_0540JPC MC_0579JPC MC_0579JPC MC_0579JPC MC_3252JPG Office0655,0226200.pptx Periodic DIC detailed flow.pptx (redentials.txt howtofilenamesitexect.bt) whorpenmania.tend

9. In the Schedule menu, configure a backup schedule for backup job to run automatically at your specified time interval. Slide the on/off button to turn on this feature, then click **Add new schedule** to add a new schedule.

Schedule
Run scheduled backup for this backup set On Existing schedules Add new schedule
Previous Next Cancel Help



New Backup Schedule	
Name Daily-1	
Type Daily 🗸	
Start backup at V 13 V: 46 V Stop	
until full backup completed V	
wun ketention Policy after Dackup	
OK Cancel	Hel

- Name the name of the backup schedule.
- Type the type of the backup schedule. There are four (4) different types of backup schedule: Daily, Weekly, Monthly and Custom.
 - Daily the time of the day or interval in minutes/hours when the backup job will run.

Name	
Daily-1	
Tuno	
Type	
Daily V	
Start backup	
at 🗸 18 🖌 : 00 🖌	
Stop	
until full backup completed 🐱	



Weekly – the day of the week and the time of the day or interval in minutes/hours when the backup job will run.

New Backup Schedule
Name
Weekly-1
Type Weekly V
Backup on these days of the week
Start backup at V 19 V: 00 V
Stop
until full backup completed 🖌
Run Retention Policy after backup

Monthly – the day of the month and the time of the day when the backup job will run.

Monthly-1		
Type Monthly V Backup on the fr	bllowing day every month	
● Last ✔	Sunday 🖌	
Start backup at	 on the selected days 	

• Custom – a specific date and the time when the backup job will run.

New Backup Schedule
Name
Custom-1
Type Custom V Backup on the following day once 2022 December V 31 V
Start backup at
Stop
until full backup completed 🐱
✓ Run Retention Policy after backup



- O Start backup – the start time of the backup job.
 - \odot at - this option will start a backup job at a specific time.
 - \odot every - this option will start a backup job in intervals of minutes or hours.

Start backup		Start backup			
every 🖌	1 minute	~	every 🖌	1 minute	~
Stop	1 minute	^	Stop	30 minutes	^
until full ba	2 minutes		until full ba	1 hour	
	3 minutes			2 hours	
✓ Run Rete	4 minutes		🖌 Run Rete	3 hours	
	5 minutes			4 hours	
	6 minutes			6 hours	
	10 minutes			8 hours	
	12 minutes	~		12 hours	~
	Z4/	1			

Here is an example of backup set that has a daily and weekly backup schedule.

New Backup Schedule	New Backup Schedule
Name	Name
Weekly-1	Weekly-1
Type	Type Weekly
Backup on these days of the week	
Sun I Mon I Tue I Wed I Thu I Fri Sat	Backup on these days of the week ✓ Sun Mon Tue Wed Thu Fri
Start backup	Start backup
every V 4 hours V	at 💙 21 💙 : 00 🗸
Stop	Stop
until full backup completed 🖌	until full backup completed 🖌
Run Retention Policy after backup	✓ Run Retention Policy after backup
Figure 1.1	Figure 1.2

Figure 1.1

Figure 1.1 – Periodic scheduled every 4 hours Monday - Friday for business hours

Figure 1.2 - Normal schedule run at 21:00 or 9:00 PM daily on Saturday & Sunday for weekend non-business hours

- 0 Stop – the stop time of the backup job. This only applies to schedules with start backup "at" and is not supported for periodic backup schedule (start backup "every")
 - \odot until full backup completed - this option will stop a backup job once it is complete. This is the configured stop time of the backup job by default.
 - \odot after (defined no. of hrs.) - this option will stop a backup job after a certain number of hours regardless of whether the backup job has completed or not. This can range from 1 to 24 hrs.

The number of hours must be enough to complete a backup of all files in the backup set. For small files in a backup, if the number of hours is not enough to back up all files, then the outstanding files will be backed up in the next backup job. However, if the backup set contains large files, this may result in partially backed up files.



For example, if a backup has 100GB file size which will take approximately 15 hours to complete on your environment, but you set the "stop" after 10 hours, the file will be partially backed up and cannot be restored. The next backup will upload the files from scratch again.

The partially backed up data will have to be removed by running the data integrity check.

As a general rule, it is recommended to review this setting regularly as the data size on the backup machine may grow over time.

 Run Retention Policy after backup – if enabled, the Backup247 Advanced Client (B247PRO) will run a retention policy job to remove files from the backup destination(s) which have exceeded the retention policy after performing a backup job.

Click the **OK** button to save the configured backup schedule settings.

Multiple backup schedules can be created, as an example; the four types of backup schedules may look like the following.

Schedule	
Run scheduled backup for this backup set On Daily-1 Daily-1 Daily (Everyday at 18:00) Weekly - Saturday (Every week at 19:00) Monthly-1 Monthly - The Last Sunday (Every month at 20:00) Custom (31/12/2022 at 21:00)	
Add	
	Previous Next Cancel Help

Click **Next** to proceed.

10. In the **Destination** menu, select a backup destination where the backup data will be stored. Click the "+" icon next to **Add new storage destination / destination pool**.



	Backup mode Sequentia Add new storage destination / destination pool 	
		Previous Next Cancel He
	NOTE re details on Backup Destination, refer to this article requently Asked Questions on Backup Destination	
FAQ: F	re details on Backup Destination, refer to this article	

OK Cancel Help



You can choose a storage combination of Local/Mapped drive/Removable Drive, Cloud storage or FTP. Click **OK** to proceed when you are done with the settings.

If you have chosen the Local/Mapped Drive/Removable Drive option, click Change to browse to a directory path where backup data will be stored, then click Test to validate the path. Test completed successfully shows when the validation is done.

New Storage Destination / Destination Pool Name Local-1	
Destination storage Image: Cocal / Mapped Drive / Removable Drive Local / Mapped Drive / Removable Drive Local path	
Test	
OK Cancel	He
Previous Next Cancel	
e chosen the Cloud Storage, click Test to log in to the correspondi	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	He ing
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding age service.	
e chosen the Cloud Storage, click Test to log in to the corresponding and the corresponding to the corresponding New Corresponding to the corresponding to the corresponding New Corresponding to the corresponding to th	



If you have chosen the FTP as the destination, enter the Host, Username and Password details.

_				
New Storage Destination /	Destination Po	ol		
Name				
FTP-1				
Destination storage				
FTP FTP	~			
Host	Port			
Username				
Password				
(optional) FTP directory to store backup data	a (default to ~/Ahsay)			
Connect with SSL/TLS (explicit only)				
Access the Internet through proxy				
			ОК	Cancel
		Previous	Next	Cancel

12. You can add multiple storage destinations. The backup data will be uploaded to all the destinations you have selected in the order you added them. Press the icon to alter the order. Click **Next** to proceed when you are done with the selection.

Destination
Backup mode Sequentia Sing storage destinations Sequentia Sequentia Sequentia Batz 10.16.10.12:43 Sequentia Coale1 Civiserskadministrator\Documents Sequentia
Previous Next Cancel Help

13. In the Encryption window, the default **Encrypt Backup Data** option is enabled with an encryption key preset by the system which provides the most secure protection.



Encryption	
Encrypt Backup Data On Encryption Type Default V User password Custom	
Previous	lext Cancel Help

You can choose from one of the following three Encryption Type options:

- Default an encryption key with 44 alpha numeric characters will be randomly generated by the system
- User password the encryption key will be the same as the login password of your Backup247 Advanced Client (B247PRO) at the time when this backup set is created. Please be reminded that if you change the Backup247 Advanced Client (B247PRO) login password later, the encryption keys of the backup sets previously created with this encryption type will remain unchanged.
- Custom you can customize your encryption key, where you can set your own algorithm, encryption key, method and key length.

E	Encrypt	ion	
Encrypt Backup Data On			
Encryption Type			
Algorithm AES			
Encryption key			
•••••• Re-enter encryption key			
•••••			
Method ECB CBC			
Key length 128-bit 256-bit			

Click **Next** when you are done setting.



14. If you have enabled the Encryption Key feature in the previous step, the following popup window shows, no matter which encryption type you have selected.

Encryption	
Encrypt Backup Data On Encryption Type Default	
You are advised to write this encryption key down on paper and keep in a safe place. You will need it when you need to restore your files late Please confirm that you have done so. Unmask encryption key	t
	Copy to clipboard Confirm

The pop-up window has the following three options to choose from:

Unmask encryption key – The encryption key is masked by default. Click this option to show the encryption key.

You are advised to write this encryption key down on paper and keep in a safe place. You will need it when you need to restore your files late Please confirm that you have done so.	
ZPDWFyTrMWZ/o9MgcmOvWQAR9x8li367TAUfabDiR7I=	
Mask encryption key	
	Copy to clipboard

- Copy to clipboard Click to copy the encryption key, then you can paste it in another location of your choice.
- **Confirm** Click to exit this pop-up window and proceed to the next step.

Click **Next** to create the backup set.

15. The following screen is displayed when the Cloud File backup set is created successfully



Co	ongratulations!
"Client Run Cl	oud File Backup" is successfully created.
	Backup now Close

16. Based on Best Practices and Recommendations, it is highly recommended to change the **Temporary Directory**. Select another location with sufficient free disk space other than /Users/admin/temp.

Go to **Others > Temporary Directory**. Click **Change** to browse for another location.

Client Run Cloud	Temporary Directory	
General Source	Temporary directory for storing backup files /Users/admin/temp 315.15GB free out of total 464.96GB space in /Users/admin/temp Remove temporary files after backup	Change
Backup Schedule Destination Deduplication Retention Policy Command Line Tool	Compressions Select compression type Fast with optimization for local	
Bandwidth Control Others Hide advanced settings Delete this backup set	Method CBC Key length 256 bits	ancel Help



17. Optional: Select your preferred **Compression** type. By default, the compression is Fast with optimization for local.

Go to Others > Compressions. Select from the following list:

- No Compression
- Normal
- Fast (Compressed size larger than normal)
- Fast with optimization for local

Client Run Cloud	Temporary Directory	
General Source Backup Schedule Destination Deduplication Retention Policy Command Line Tool Bandwidth Control	Temporary directory for storing backup files /Users/admin/temp 315.15GB free out of total 464.96GB space in /Users/admin/temp Image: Compression S Select compression type Fast with optimization for local No Compression Normal Fast (Compressed size larger than normal) Fast with optimization for local Algorithm AES Method CBC	Change
Others	Key length 256 bits	
Hide advanced settings		
Delete this backup set	Save	Cancel Help



4 Running a Backup


For an overview of the backup process, please refer to Chapter 11 in the Backup247 Advanced Client (B247PRO) v9 Quick Start Guide for Mac.

To start a backup, follow the steps below:

1. Click the **Backup** icon on the main interface of Backup247 Advanced Client (B247PRO).




2. Select the backup set which you would like to start a backup.





3. If you would like to modify the Destinations, Migrate Data and Retention Policy settings, click **Show advanced option**.



4. When advanced options are shown, it is recommended that you tick the checkbox next to **Run Retention Policy after backup** in the Retention Policy section at the bottom. This will help you save hard disk quota in the long run.

Choose Your Ba	ckup Options
Client Run Cloud File Backup	
Backup set type Cloud File Destinations S 247CBS (Host: 125.5.184.164:80) S 247CBS (Host: 125.184.164:80) S 247CBS (Host: 125.184.164.164.164.164.164.164.164.164.164.16	
	Previous Backup Cancel Help
NOT	F

The Migrate Data option will only be displayed if Deduplication is enabled for the backup set. When the Migrate Data option is enabled, the existing data will be migrated to the latest version during a backup job. Backup job(s) for backup sets with Migrate Data enabled may take longer to finish. For more information about this feature, refer to <u>B247CBS v9 New Features</u> <u>Supplemental document.</u>

5. Click **Backup** to start the backup and wait until it is finished.



Backup	
Client Run Cloud File Backup	
B247CBS (Host: 125.5.184.164:80) [New File] backup file/IMG_0540.JPC (100%) Estimated time left 0 sec (7.11MB) Backed up 5.48MB (3 files, 2 directories, 0 link) Elapsed time 15 sec Transfer rate 0 bit/s	
	Cancel Help

6. The backup through Backup247 Advanced Client (B247PRO) has been successful.


	U		
	Back	up	
2	Client Run Cloud File Backup		
G	B247CBS (Host: 125.5.184.164:80) Sackup Completed Successfully Estimated time left 0 sec Backed up 12.60MB (30 files, 2 direc	tories, 0 link)	lā,
	Elapsed time 1 min 7 sec Transfer rate 1.43Mbit/s		
			Close Help



Check the log of your backup by clicking this icon
 It will show you the log of your backup with corresponding date and time.

		Show	All	~
Type	Log		Time	
0	Start [B247Prc v9.1.0.0]	19/01	2022 14:04:1	7
0	Saving encrypted backup set encryption keys to server	19/01	2022 14:04:1	7 ^
0	Start Backup [Deduplication: enabled, Deduplication scope: All files within the same backup set, Migrate Delta: disa	19/01	2022 14:04:1	9
0	Using Temporary Directory /Users/admin/temp/1642571575092/085@1642571970061	19/01	2022 14:04:1	9
0	Start running pre-commands	19/01	2022 14:04:2	4
0	Finished running pre-commands	19/01	2022 14:04:2	4
0	Downloading server file list	19/01	2022 14:04:2	4
0	Download valid index files from backup job "null" to "/Users/admin/temp/1642571575092/OB5@1642571970061/	19/01	2022 14:04:2	4
0	Downloading server file list Completed	19/01	2022 14:04:2	4
0	Reading backup source from hard disk	19/01	2022 14:04:2	6
0	[New Directory] backup file	19/01	2022 14:04:2	7
0	[New Directory] backup file/with filter	19/01	2022 14:04:2	7
0	Reading backup source from hard disk Completed	19/01	2022 14:04:2	7
0	[New File] 100% of "backup file/Best Practices and Recommendations_draft_03162020-updated-ky.docx"	19/01	2022 14:04:2	9
0	[New File] 10% of "backup file/IMG_0579.JPG"	19/01	2022 14:04:3	0
0	[New File] 20% of "backup file.1MG_0579.JPG"	19/01	2022 14:04:3	0
0	[New File] 30% of "backup file/IMG_0579.JPG"	19/01	2022 14:04:3	0
0	[New File] 40% of "backup file/IMG_0579.JPG"	19/01	2022 14:04:3	0
0	[New File] 50% of "backup file/IMG_0579.JPG"	19/01	2022 14:04:3	0
0	[New File] 60% of "backup file/IMG_0579.JPG"	19/01	2022 14:04:3	0 *
•	Research and the state of the s	10.001	13033 14-04-3	<i>n</i>
i sge	per page 50 V		Page 1/3	• •

To view the backup report, return to the Backup247 Advanced Client (B247PRO) main interface then click the following icon.





In this Backup Report screen, you can see the backup set with corresponding
destination, completion date and time, and status.

Report	Backup Report
Backup	12 v Jan v 2022 v 19 v Jan v 2022 v Go
Restore Usage	Backup set Destination Completion Status Client Run Clo B247CBS Today 14:05 Completed
	No. of records per page 50 • Page 1 / 1 •
	Close Help



Report	Backup Report
Backup	From To 12 V Jan V 2022 V 19 V Jan V 2022 V Go
Restore	Backup set 💙 Destination 💙 Completion Status 💙
Usage	Backup set Client Run Cloud File Backup Destination B247CBS Job 19/01/2022 14:04 Time Today 14:04 – 14:05 (PHT) Status Completed successfully
	New files * 30 [12MB/12.6MB (550] Updated files * 0 Attributes Changed Files * 0
	Moved files * 0 Deleted files * 0 Dedupe Saving 0/12.6M [0.0%] * Unit = No of files [Total zipped size / Total unzipped size (compression ratio)]
	View log No. of records per page 50 Page 1/1
	Close Help



You can also click the **View Log**; this will redirect you to the log summary of your backup.

101/2022 14:04 V tog	Show	All	~
		Time	
// IB24/PTO V9.1.0.0]	19/01/	2022 14:04:17	
ing encrypted backup set encryption keys to server	19/01/	2022 14:04:17	^
rt Backup (Deduplication: enabled, Deduplication scope: All files within the same backup set, Migrate Delta: disa	19/01/	2022 14:04:19	
ng Temporary Directory /Users/admin/temp/1642571575092/083@1642571970061	19/01/	2022 14:04:19	
rt running pre-commands	19/01/	2022 14:04:24	
ished running pre-commands	19/01/	2022 14:04:24	
wnloading server file list	19/01/	2022 14:04:24	
wnload valid index files from backup job "null" to "/Users/admin/temp/1642571575092/OB5@1642571970061/L	19/01/	2022 14:04:24	_
wnloading server file list Completed	19/01/	2022 14:04:24	
ading backup source from hard disk	19/01/	2022 14:04:26	
w Directory] backup file	19/01/	2022 14:04:27	
w Directory] backup file/with filter	19/01/	2022 14:04:27	
ading backup source from hard disk Completed	19/01/	2022 14:04:27	
w File] 100% of "backup file/Best Practices and Recommendations_draft_03162020-updated-ky.docx"	19/01/	2022 14:04:29	
w File] 10% of "backup file/IMG_0579.JPG"	19/01/	2022 14:04:30	
w File] 20% of 'backup file/IMG_0579.JPG"	19/01/	2022 14:04:30	
w File] 30% of "backup file/IMG_0579.JPG"	19/01/	2022 14:04:30	- · · ·
w File] 40% of "backup file/IMG_0579.JPG"			•
	1.0.10.1.1	****	
page 50 V		Page 1/3	~
	t Backup [Dedupication: enabled, Dedupication scope: All files within the same backup set, Migrate Della: disa g Temporary Directory /Users/admin/temp/1642571575092/085@1642571970061 trunning pre-commands hed running pre-commands moading server file 1st moad valid index files from backup job "null" to "/Users/admin/temp/1642571575092/085@1642571970061/L moading server file 1st completed ding backup source from hard disk v Directory] backup file /vith filter ding backup source from hard disk v Directory] backup file /vith filter ding backup source from hard disk v File] 100% of "backup file/MS_0579.JPG" v File] 20% of "backup file/MS_0579.JPG" v File] 20% of "backup file/MS_0579.JPG" v File] 30% of "backup file/MS_0579.JPG" v File] 30% of "backup file/MS_0579.JPG" v File] 30% of "backup file/MS_0579.JPG"	t Backup [Dedupication: enabled, Dedupication scope: All files within the same backup set, Migrate Delta: disa 19/01/ g Temporary Directory /Users/admin/temp/1642571575092/083@1642571970061 19/01/ hed running pre-commands 19/01/ hed running pre-commands 19/01/ inboading server file lst 09/01/ inboading server file lst Completed 19/01/ ding backup source from hard disk 09/01/ ding backup source from hard disk Completed 19/01/ ding backup source from hard disk Completed 19/01/ ding backup source from hard disk 09/01/ ding backup file/with fiber 19/01/ ding backup file/with fiber 10/01/ ding backup file/with file/with fiber 10/01/ ding backup file/with file/with file/with file/with file/ ding down	Eackup [Deduplication: enabled, Deduplication scope: All files within the same backup set, Migrate Delta: disa 19/01/2022 14:04:19 g Temporary Directory /Users/admin/temp/1642571575092/OBS@1642571970061 19/01/2022 14:04:19 trunning pre-commands 19/01/2022 14:04:24 hed running pre-commands 19/01/2022 14:04:24 noading server file Ist 19/01/2022 14:04:24 inoading server file Ist 19/01/2022 14:04:24 uiga backup source from hard disk 19/01/2022 14:04:24 v Directory] backup file /with fiber 19/01/2022 14:04:27 v P

You can also search for backup reports from a specific period of date. For example, we have the **From** date which is, **12 Jan 2022** and the To date which is, **18 Jan 2022**. Then click the Go button to generate the available reports.

From					То							
12 🗸	Jan	•	2022	~	1	8	~	Jan	~	2022	~	Go

If this is a valid range of dates then backup reports will be displayed unless there were no backup running on the specified dates. A message of **No records found** will be indicated.

Report	Backup Report
Backup	From To 12 V Jan V 2022 V 18 V Jan V 2022 V Go
Restore Usage	Backup set V Destination V Completion Status V No records found
	No. of records per page 50 V Page - V
	Close Help



5 Restoring with a Cloud File Backup Set

Using Backup247 Advanced Client (B247PRO) to do the restoration has three (3) options. Through Local machine, Original location, and Alternate location. Below are brief descriptions of the said features. After this quick walkthrough you will see the step-by-step instructions with corresponding screen shots on how to restore your data using the following options below.

Local machine

Restore your data to your local computer where the Backup247 Advanced Client (B247PRO) is running.

Original location

Aside from the location machine option, you are also able to restore your data to your original location, on the cloud storage, where they are originally saved.

Alternate location

Besides the two options above, you can also restore your data to an alternate location on the same cloud storage but on a different folder.

NOTE
Log in to Backup247 Advanced Client (B247PRO). For instructions on how to do this please refer to Chapter 7 of the Backup247 Advanced Client (B247PRO) v9 Quick Start Guide for Mac.


1. Click the **Restore** icon on the main interface of Backup247 Advanced Client (B247PRO).





2. Select the backup set that you would like to restore from.

3.





Previous Cancel Help



4. Select to restore from a specific backup job, or the latest job available from the **Select** what to restore drop down menu.

Select what to restore	100000000000000000000000000000000000000				
Choose from files as of job Folders * @ E247CES * @ In backup file * In with filter	19/01/2022 Latest Name Maine Maine Maine Maine Model of the second attents, dr., Model of the second attent of the second	5224 9KB 19KB 2.72MB 2.75MB 1.89MB 4.71MB 140KB 140KB 140KB 140KB 286KB	29/06/20 12/12/20 09/06/20 09/06/20	21 09 12 20 10 59 19 21 03 19 22 56 20 19 25 20 19 21 19 00 00 20 17 36 20 10 06 18 11 49	
Restore to local compute	r Items per page	50	♥ Page	1/1 •	

Tick **Restore to local computer** if you want to restore the backed-up data to the local computer. Once done selecting the files and/or folders to restore, click **Next** to continue.

Select what to restore	ob v 19/01/2022 v Latest v		
choose from tiles as of j	un allatorisass		
Folders	Name	Size	Date modified
* 🤒 B247CBS	with filter	1010	
T 🕑 🔝 backup file	Best Practices and Recommendations_dr.		17/11/2021 09:12
Image:	Comparison between incremental and Di. S = IMC_0540.JPG	. 19KB 2.72MB	18/03/2020 10:59 13/07/2019 21:03
	2 MG_0579.JPG	2.76MB	23/08/2019 22:56
	2 MG_1252.JPG	1.89MB	02/06/2020 19:25
	C C OfficeO365, 02262020, pptx	4.71MB	29/06/2020 19:21
	Periodic DIC detailed flow.pptx	140KB	12/12/2019 00:00
	C credentials.txt	188	09/06/2020 17:36
	De howtofilenamestoexcel.txt	1KB	09/06/2020 10:06
	🛛 🔹 shrpt-manila.html	286KB	21/06/2018 11:49
	回 書 v6.3.4.0-Release-Document-List_2506	2488	25/06/2020 16:20
Restore to local comp	outer Items per pag	a land	✓ Page 1/1 .

If you want to search for directories, files and folders to be restored, click **Search** to use the restore filter.

For more information on how to use the restore filter please refer to Chapter 13.3 of the Backup247 Advanced Client (B247PRO) v9 Quick Start Guide for Mac.

5. The window that will be displayed will depend on the restore destination selected. Here are the three options:



Local computer

If you want to restore on your local computer, browse to the corresponding directory path on the local computer that you want the data to be restored to.

	Restore files to /Users/admin/Documents/Restore Browse
	Show advanced option
lick Sho	Previous Next Cancel Hel
	w advanced option to configure other restore settings.
	w advanced option to configure other restore settings.
	Restore files to /Users/admin/Documents/Restore Browse

Verify checksum of in-file delta files during restore

By enabling this option, the checksum of in-file delta files will be verified during the restore process. This will check the data for errors during the restore process and create a data summary of the in-file delta files which will be included in the report.

• Original location



If you have chosen this option, the backup data will be restored to the original location on the cloud storage.

Cho	ose Where The Files To Be Restored
	Restore files to Original location Alternate location Verify checksum of in-file delta files during restore Hide advanced option
	Previous Next Cancel Help
-	cation
your choi <mark>ce</mark>	. Click Change to select the alternate path on the cloud storage.
	. Click Change to select the alternate path on the cloud storage.

Select the path where the data will be restored then click $\ensuremath{\text{OK}}$.



	Change Path				
	Coogle Drive Adversale Location Adversale Location Adversale Location Adversale Installer				
					OK C
			Prev	/ious Next	Cancel
Cho	ose Where	The File			tored
Cho	POSE Where Restore files to Original location I Alternate location Alternate				
Cho	Restore files to	Location		e Res	
Cho	Restore files to Original location Alternate location Alternate	Location		e Res	
Cho	Restore files to Original location Alternate location Alternate	Location		e Res	
Cho	Restore files to Original location Alternate location Alternate	Location		e Res	

Click Next to proceed.

NOTE

Data can only be restored to the local computer or to the original cloud storage where the data was backed up from (i.e., same cloud storage provider and same account). Restoring backup data to a different cloud storage provider or different account is **NOT** possible.



6. Select the temporary directory for storing temporary files.

Temporary Directory	
Temporary directory for storing restore files	
/Users/admin/temp Browse	
Previous Restore Cancel Hel	p


7. Click **Restore** to start the restoration. The following screen is displayed when the files are restored successfully.

Res	tore
Client Run Cloud File Backup	
E247CBS (Host: 125.5.184.164:80) ✓ Restore Completed Successfully Estimated time left 0 osc Restored 12.54MB (11 files) Elapsed time 15 sec Transfer rate 4.87Mbit/s	Б
	Close Help



IMPORTANT

Data of a **Run on Server** Cloud File backup set can only be restored via the B247CBS web console. The following error message will be displayed if you try to restore data of a **Run on Server** Cloud File backup set via the Backup247 Advanced Client (B247PRO) user interface.





6 Contacting Backup247

6.1 Technical Assistance

To contact Backup247 support representatives for technical assistance, visit our website https://backup247.com.au/Support.php

6.2 Documentation

Documentations for all Backup247 modules, user guide and QuickStart are available on our website. Alternatively, email us on support@backup247.com.au for technical demo.

